

MODERN GEARING INC
Physical Inventory Worksheet
7 October 2025

5:17 PM
October 7, 2025

Item	Description	Quantity On Hand
A000000	GEAR HOBS (NEW & RENTALS)	1.00
A000077	2.75 DP 20°PA 0.8182"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..5.000"DIA. x 7.000"LONG x 1.500"BORE..	1.00
A000084	3DPT 20°PA 23°HA 0.662"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..4.500"DIA. x 5.000"LONG x 1.250"BORE	1.00
A000090	3 DP 20°PA 0.750"CD RH FINISHER..M35+AlCrONa GROUND FORM GEAR HOB..4.500"DIA. x 5.000"LONG x 1.250"BORE	2.00
A000114	4 DP 20°PA 0.5875"CD RH PRE-GRIND..M35+NaCrO GROUND FORM GEAR HOB..4.000"DIA. x 4.000"LONG x 1.250"BORE	1.00
A000120	4/5DP 20°PA 0.450"CD FELLOWS STUB..M2 HSS MACHINE RELIEVED GEAR HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
A000136	4/8 DP 37.5°PA FILLET ROOT/SIDE FIT..M35 HSS GROUND FORM GEAR HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
A000155	5 DP 20°PA 0.470"CD RH PRE-GRIND..ASP30 HSS GROUND FORM GEAR HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
A000160	5/7 DP 20°PA 0.3214"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..3.250"DIA. x 3.250"LONG x 1.250"BORE	1.00
A000165	5/10 DP 30°PA FILLET ROOT/SIDE FIT..M2 HSS GROUND FORM RELIEVED HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	1.00
A000167	5/10 DP 30°PA 3 START 0.222"CD RH FLAT ROOT/SIDE FIT (ASA B5.15-1950) ..PMM4 HSS MACHINE RELIEVED HOB..3.500"DIA. x 3	2.00
A000175	5.5 DP 14.5°PA 0.4422"CD FULL FILLET..M35 HSS GROUND FORM RELIEVED HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
A000181	6 DP 14.5°PA 0.3595"CD RH FINISHER..M35 HSS GROUND FORM GEAR HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
A000184	6 DPT 14.5°PA 0.2542"CD 45°HA LH..M2 HSS GROUND FORM RELIEVED HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	1.00
A000185	6 DP AX. 14.5°PA .3595"WD SSRH 2"WPD..M35 HSS GROUND FORM GEAR HOB..2.490"DIA. x 3.000"LONG x 0.750"BORE	1.00
A000185TAL	6 DP AX. 14.5°PA .3595"WD SSRH 2"WPD..M45 HSS+TiAIN MACHINE RELIEVED HOB..2.490"DIA. x 3.000"LONG x 0.750"BORE	1.00
A000188	6 DP AX. 20°PA .3595"WD SS RH 2"WPD..M2 HSS MACHINE RELIEVED GEAR HOB..2.490"DIA. x 3.000"LONG x 0.750"BORE	1.00
A000191	6 DP 20°PA 0.375"CD RH FINISHER..M35 HSS+TiN GROUND FORM GEAR HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE	2.00
A000192	6 DP 20°PA 0.3917"CD RH PRE-GRIND..M35 HSS GROUND FORM RELIEVED HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
A000195	6 DP 20°PA 0.300"CD RH AGMA STUB..M2 HSS MACHINE RELIEVED GEAR HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
A000198	6.5182DP 18°31'22"PA 0.3196"CD RH..PRE-GRIND PROTUBERANCE 0.010"THIN ..M35 HSS GROUND FORM RELIEVED HOB..3.500"DI	1.00
A000210	6/12 DP 30°PA FILLET ROOT/SIDE FIT..M35 HSS +TiAIN GROUND FORM HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	2.00
A000215	6/12 DP 30°PA FLAT ROOT/SIDE FIT ..M35 HSS+ TiAIN GROUND FORM HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	1.00
A000223	8DP AX 14.5°PA SS LH TOPPING 1.5"WPD..M35 HSS + AlCrONa GROUND FORM HOB..1.9252"DIA. x 2.500"LONG x 0.750"BORE	1.00
A000224	8DP AX 14.5°PA SS RH TOPPING 1.5"WPD..M35 HSS GROUND FORM RELIEVED HOB..1.9252"DIA. x 2.500"LONG x 0.750"BORE	2.00
A000230	8 DP 14.5°PA 0.2696"CD RH FINISHER..M35 HSS+AlCrONa GROUND FORM HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	2.00
A000231	8 DP 14.5°PA 0.2696"CD RH FINISHER..M35 HSS GROUND FORM RELIEVED HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	2.00
A000233	8 DP 20°PA 0.2696"CD RH FINISHER..M35 HSS GROUND FORM GEAR HOB..2.000"DIA. x 2.000"LONG x 0.750"BORE	2.00
A000235	8 DP 20PA 0.2696"CD RH FINISHER..M2 HSS GROUND FORM GEAR HOB..2.000"DIA. x 2.000"LONG x 0.750"BORE	1.00
A000242TAL	8 DP 20°PA 0.2812"CD RH FINISHER..M35 + TiAIN GROUND FORM GEAR HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	1.00
A000243	8 DP 20°PA 0.300"CD RH PRE-SHAVE..SEMI-TOPPING 0.0012"THIN PER FLANK..M2 HSS GROUND FORM GEAR HOB..3.000"DIA. x	1.00
A000244	8 DP 25°PA 0.2812"CD RH FINISHER..REX76 HSS+AlCrONa CL"C" GEAR HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	1.00
A000252	8/10DP 20°PA 0.225"CD RH FINISHER..M2 HSS+TiN GROUND FORM GEAR HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	1.00
A000261	8/16 DP 30°PA FILLET ROOT/SIDE FIT..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000275	10DP AX 14.5°PA 3 STARTS LH 1.25"WPD ..PM-M4 HSS MACHINE RELIEVED HOB..1.555"DIA. x 2.000"LONG x 0.500"BORE	1.00
A000277ALC	10 DP AX 14.5°PA 4 START RH 1.25"WPD..M35 HSS + AlCrONa GROUND FORM HOB..1.595"DIA. x 2.000"LONG x 0.500"BORE	2.00
A000278	10 DP 14.5°PA 0.2157"CD RH FINISHER..M35 HSS+TiN GROUND FORM GEAR HOB..2.750"DIA. x 2.750"LONG x 1.000"BORE	1.00
A000279	10DP 14.5°PA 0.2157"CD RH FINISHER..M2 HSS + TiN MACHINE RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000289	10 DP 20°PA 0.2157"CD RH FINISHER..M2 HSS GROUND FORM GEAR HOB..2.000"DIA. x 2.000"LONG x 0.750"BORE	1.00
A000291	10 DP 20°PA 0.225"CD RH FINISHER..M35 HSS GROUND FORM RELIEVED HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	2.00
A000293	10 DP 20°PA 0.2335"CD FULL-FILLET..M2 HSS + TiN GROUND FORM GEAR HOB..2.000"DIA. x 2.000"LONG x 0.750"BORE	1.00
A000294	10.642DP 18°52'54"PA 0.2157"CD RH..M2 HSS GROUND FORM RELIEVED HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
A000295	10 DP 25°PA 0.225"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	1.00
A000311	10/20 DP 30°PA FILLET ROOT/SIDE FIT..M35 HSS+AlCrONa GROUND FORM HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE	1.00
A000313	10/20 DP 30°PA FLAT ROOT/SIDE FIT..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000317	10/20 DP 30°PA FLAT ROOT/SIDE FIT..M35 HSS+TiAIN GROUND FORM HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE..ASA-B5.15 19'	1.00
A000331	12 DP 14.5°PA 0.1798"CD RH FINISHER..M35 HSS GROUND FORM GEAR HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
A000333	12DP AX 14.5°PA 1 START RH 1.5"WPD..PMM4 HSS MACHINE RELIEVED HOB ..1.777"DIA. x 1.500"LONG ON 0.625"DIA...STRAIGHT	2.00
A000335	12 DP 20°PA 0.1875"CD RH FINISHER..M35 HSS GROUND FORM RELIEVED HOB..2.000"DIA. x 2.000"LONG x 0.750"BORE	2.00
A000341	12 DP 20°PA 0.1875"CD RH FINISHER..M35 HSS GROUND FORM GEAR HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
A000342	12DP 20°PA 0.1958"CD RH PRE-GRIND..M2 HSS GROUND FORM RELIEVED HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
A000355	12/24 DP 30°PA FILLET ROOT/SIDE FIT ..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000361	12/24 DP 30°PA FILLET ROOT/SIDE FIT..M2 HSS GROUND FORM RELIEVED HOB..2.500"DIA. x 2.000"LONG x 1.250"BORE	1.00
A000370	12/24 DP 30°PA FLAT ROOT/SIDE FIT..ASP2052+AlCrONa GROUND FORM HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE	2.00
A000378	13 DP 20°PA 0.1731"CD RH FINISHER..M35 HSS+AlCrONa GROUND FORM HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
A000402	16 DP 14.5°PA 0.1348"CD RH FINISHER..PM-M4 HSS MACHINE RELIEVED HOB..4.000"DIA. x 4.000"LONG x 1.250"BORE	1.00
A000411	16 DP 20°PA 0.1406"CD RH FINISHER..M35 HSS GROUND FORM GEAR HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE	1.00

Item	Description	Quantity On Hand
A000418	16/32 DP 30°PA FILLET ROOT/SIDE FIT..M42 HSS GROUND FORM RELIEVED HOB..1.250"DIA. x 1.250"LONG x 0.500"BORE	1.00
A000421	16/32 DP 30°PA FILLET ROOT/SIDE FIT..M2 HSS GROUND FORM RELIEVED HOB..2.500"DIA. x 2.000"LONG x 1.250"BORE	1.00
A000440	18 DP 14.5°PA 0.1198"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000466	20 DP 20°PA 0.112"CD RH FINISHER..M42 HSS GROUND FORM GEAR HOB..1.500"DIA. x 1.000"LONG x 10MM.BORE	1.00
A000467	20 DP 20°PA 0.112"CD RH FINISHER..M35 HSS GROUND FORM RELIEVED HOB..1.250"DIA. x 1.250"LONG x 0.500"BORE	2.00
A000468	20DP 20°PA 0.1225"CD RH FULL FILLET..M35 HSS GROUND FORM RELIEVED HOB..1.300"DIA. x 1.300"LONG x 0.500"BORE	1.00
A000474	20 DP 20°PA 0.112"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000480	20/40 DP 30°PA FILLET ROOT/SIDE FIT..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000481	20/40 DP 30°PA FLAT ROOT/SIDE FIT..M2 HSS GROUND FORM GEAR HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000483	20/40 DP 37.5°PA FILLET ROOT/SIDE FIT..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000484	20/40 DP 45°PA FILLET ROOT/SIDE FIT..M2 HSS GROUND FORM RELIEVED HOB..2.500"DIA. x 2.000"LONG x 1.250"BORE	1.00
A000495	24 DP 20°PA 0.0936"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000499	24/48 DP 30°PA FLAT ROOT/SIDE FIT..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000502	24/48DP 45°PA FILLET ROOT/SIDE FIT..M2 HSS GROUND FORM SPLINE HOB..2.500"DIA. x 2.000"LONG x 1.250"BORE	1.00
A000503	24/48 DP 30°PA FILLET ROOT/SIDE FIT..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000503ALC	24/48 DP 30°PA FILLET ROOT/SIDE FIT ASP2052+ AlCrNa GROUND FORM HOB ..1.875"DIA. x 1.875"LONG x 0.750"BORE	2.00
A000505	24/48 DP 37.5°PA FILLET ROOT/SIDE FIT..M35 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000506	24/48 DP 45°PA FILLET ROOT/SIDE FIT..ASP2030 HSS+TIN GROUND FORM HOB..1.250"DIA. x 1.250"LONG x 0.500"BORE	1.00
A000509	26 DP 20°PA 0.0866"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000520	28 DP 20°PA 0.0857"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.500"LONG x 0.750"BORE	1.00
A000539	32/64 DP 30°PA FLAT ROOT/SIDE FIT..M35 HSS GROUND FORM SPLINE HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE	2.00
A000541	32/64 DP 45°PA FULL FILLET ROOT ..PMM2 HSS GROUND FORM GEAR HOB..2.500"DIA. x 2.000"LONG x 1.250"BORE	1.00
A000546	40/80 DP 30°PA FLAT ROOT/SIDE FIT..M2 HSS GROUND FORM SPLINE HOB..1.875"DIA. x 1.250"LONG x 0.750"BORE	1.00
A000550	40/80 DP 45°PA FILLET ROOT/SIDE FIT..M2 HSS+TIN GROUND FORM GEAR HOB..1.500"DIA. x 1.500"LONG x 0.500"BORE	1.00
A000552	40/80DP 45°PA FILLET ROOT/SIDE FIT..PMM4 HSS GROUND FORM GEAR HOB..1.125"DIA. x 1.125"LONG x 0.500"BORE	1.00
A000554	44 DP 20°PA 0.052"CD RH TOPPING..M42 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000555	48 DP 14.5°PA 0.0449"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.750"DIA. x 1.250"LONG x 0.750"BORE	1.00
A000556	48DP AX 14.5°PA 1 START RH 0.333"WPD..G20 HSS GROUND FORM RELIEVED HOB..0.457"DIA. x 1.000"LONG ON 0.625"DIA. STRAIK	1.00
A000558	48 DP 20°PA 0.0478"CD RH FINISHER..M42 HSS GROUND FORM RELIEVED HOB..1.750"DIA. x 1.250"LONG x 0.750"BORE	1.00
A000565	48/96 DP 45°PA FILLET ROOT/SIDE FIT..G20 HSS GROUND FORM RELIEVED HOB..2.500"DIA. x 2.000"LONG x 1.250"BORE	1.00
A000580	72 DP 20°PA 0.0326"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.750"DIA. x 1.250"LONG x 0.750"BORE..	1.00
A000590	96 DP 20°PA 0.0249"CD RH FINISHER..M42 HSS GROUND FORM RELIEVED HOB..0.750"DIA. x 0.6875"LONG x 8MM.BORE	1.00
A000591	96 DP 20°PA 0.0249"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..0.965"DIA. x 0.630"LONG x 8MM.BORE	1.00
A000595	100 DP 20°PA 0.024"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.750"DIA. x 1.250"LONG x 0.750"BORE	2.00
A000609	0.5 MOD. 20°PA 0.0453"CD RH FINISHER..M42 HSS GROUND FORM GEAR HOB..1.000"DIA. x 0.675"LONG x 8 MM.BORE	1.00
A000620	1 MOD. 20°PA 0.0886"CD RH FINISHER..M35 HSS+TIN GROUND FORM GEAR HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	2.00
A000630	1.25 MOD. 20°PA 0.1107"CD RH FINISHER..M35 HSS + AlCrNa GROUND FORM HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	2.00
A000638	1.5 MOD. 20°PA 0.0708"CD FLAT ROOT..M35 HSS GROUND FORM SPLINE HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE	1.00
A000641	1.5 MOD. 20°PA 0.1329"CD RH FINISHER..M35 HSS GROUND FORM RELIEVED HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE	1.00
A000643	1.5 MOD. 20°PA .1329"CD RH FINISHER ..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000648	1.75MOD. 20°PA 0.1551"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000651	1.75MOD. 20°PA 0.155"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE	1.00
A000652	2 MOD. 14.5°PA 0.1771"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000702	3MOD. 20°PA 0.2776"CD RH PRE-GRIND..M35 HSS GROUND FROM RELIEVED HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	1.00
A000716	3.5 MOD. 20°PA 0.310"CD LH FINISHER..M35 HSS GROUND FORM RELIEVED HOB..3.250"DIA. x 3.250"LONG x 1.250"BORE	1.00
A000730	4 MOD. 20°PA 0.354"CD RH FINISHER..M35 HSS+AlCrNa GROUND FORM HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
A000731	4 MOD. 20°PA 0.354"CD RH FINISHER..M35 HSS GROUND FORM GEAR HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE	2.00
A000745	5MOD. 14.5°PA 0.4429"CD RH FINISHER..M2 HSS + TIN GROUND FORM GEAR HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
A000755	5 MOD. 20°PA 0.3322"CD RH STUB..M2 HSS GROUND FORM GEAR HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE.	1.00
A000771	6 MOD. 20°PA 0.5315"CD FINISHER..M35 HSS GROUND FORM GEAR HOB..4.000"DIA. x 4.000"LONG x 1.250"BORE	2.00
A000778	7.5 MOD. 25°PA 0.6644"CD RH FINISHER..ASP2030 HSS +TIN GROUND FORM HOB..4.500"DIA. x 4.500"LONG x 1.250"BORE	1.00
A000795	12 MOD. 20°PA 1.0629"CD RH FINISHER..PM-M4 HSS GROUND FORM GEAR HOB..5.750"DIA. x 8.000"LONG x 1.500"BORE	1.00
A000800	0.8 MOD. 30°PA FLAT ROOT (DIN5480)..M35 HSS GROUND FORM GEAR HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE	1.00
A000805	1 MOD. 30°PA FLAT ROOT (DIN5480) ..M35+AlCrNa GROUND FORM GEAR HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE	2.00
A000807	1MOD.37.5°PA FILLET ROOT ANSI B92.2M..M2 HSS GROUND FORM RELIEVED HOB..2.500"DIA. x 2.000"LONG x 1.250"BORE	1.00
A000824	1.5 MOD. 45°PA FILLET ROOT/SIDE FIT..PM-M4 HSS MACHINE RELIEVED HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE	1.00
A000828	1.9 MOD. 30°PA DIN5482 0.0787"CD..M2 HSS+TIN GROUND FORM GEAR HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
A000830	2 MOD. 30°PA FLAT ROOT (DIN5480)..M35 HSS GROUND FORM GEAR HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	2.00
A000835	2 MOD. 45°PA FILLET ROOT/SIDE FIT..PM-M4 HSS MACHINE RELIEVED HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE	1.00
A000840	2.1 MOD. 30°PA FLAT ROOT (DIN5482)..M35 HSS+TIN GROUND FORM GEAR HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00

Item	Description	Quantity On Hand
A000845	2.25MOD. 30°PA FLAT ROOT (DIN5482)..M35 HSS GROUND FORM RELIEVED HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	2.00
A000848	2.5MOD.30°PA FLAT ROOT (ANSI B92-2M)..PMM4 HSS+TIN MACHINE RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A000851	2.5 MOD. 30°PA FLAT ROOT (DIN5480)..M2 HSS GROUND FORM RELIEVED HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
A000870	4 MOD. 30°PA FLAT ROOT (DIN5480)..M2 HSS+TIN GROUND FORM GEAR HOB..3.250"DIA. x 3.250"LONG x 1.250"BORE	1.00
A000875	4MOD. 37.5°PA FILLET ROOT ANSI B92-2M..M2 HSS MACHINE RELIEVED GEAR HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
A000880	5 MOD. 30°PA FLAT ROOT (DIN5480) ..M2 HSS MACHINE RELEIVED GEAR HOB 3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
A000885	6 MOD. 30°PA FLAT ROOT (DIN5480)..M2 HSS GROUND FORM RELIEVED HOB ..3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
A000901	10MM. SYNCHROFLEX T-10 (14 to 20)..PMM4 MACHINE RELIEVED GEAR HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
A000902	10 MM T-10 TIMING PULLEY 21 TEETH +..M2 HSS MACHINE RELIEVED GEAR HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
A001002	8 MM. "HTD" PROFILE RANGE:19 to 27..PMM4 HSS MACHINE RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A001006	8 MM 'HTD' PROFILE FOR 28 TO 89 TEETH ..M35 HSS+TIN GROUND FORM GEAR HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
A001023	14MM. POLYCHAIN GT RANGE: 91 to 149..G20 HSS MACHINE RELIEVED GEAR HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	1.00
A001036	14MM. "HTD" TIMING PULLEY PROFILE..G20 HSS MACHINE RELIEVED HOB..RANGE: 37 TO 89 TEETH 0.244"CD..3.000"DIA. x 3.000"LONG	1.00
A001050	36 SERRATIONS ON 0.875"NOMINAL DIA...M35 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
A001060	36 SERRATIONS ON 0.875"NOMINAL DIA...PMM4 HSS GROUND FORM GEAR HOB..1.875"DIA. x 1.500"LONG x 0.750"BORE	1.00
A001500	.0625"CP 14.5°PA .0458"CD RH FINISHER..PM-M3 HSS MACHINE RELIEVED HOB..1.875"DIA. x 1.500"LONG x 0.750"BORE	1.00
A001505	.125"CP 20°PA 0.0895"CD RH FINISHER..M35 HSS GROUND FORM GEAR HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	2.00
A001506	.125"CP 20°PA 0.0895"CD RH FINISHER..M35 HSS GROUND FORM RELIEVED HOB..2.500"DIA. x 3.000"LONG x 1.250"BORE	2.00
A001512	.166"CP 20°PA 0.119"CD RH FINISHER..M35 HSS GROUND FORM RELIEVED HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE	1.00
A001513	.200"CP 20°PA 0.1373"CD RH FINISHER ..M2 HSS GROUND FORM RELIEVED HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE.	1.00
A001520	.250"CP 14.5°PA 0.1716"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
A001523	.250"CP AX 14.5°PA 4 START 1.125"WPD..M2 HSS GROUND FORM RELIEVED HOB..1.412"DIA. x 1.812"LONG ON 0.625"DIA...STRAIC	1.00
A001526	.250"CP 20°PA 0.1716"CD RH FINISHER..M2 + TIAN GROUND FORM GEAR HOB ..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
A001536	.312"CP AX 14.5°PA 2 STARTS 2.43"WPD..M2 HSS MACHINE RELIEVED GEAR HOB..2.677"DIA. x 2.250"LONG x 1.000"BORE	1.00
A001540	.375"CP AX 20°PA 2 START 1.097"WPD..M2 HSS GROUND FORM RELIEVED HOB..1.439"DIA. x 2.600"LONG ON #4 MORSE..SHANK 1	1.00
A001542	.375"CP (TYPE L) .085"WD RH TOPPING..M35 HSS DIN CL"A" TIMING PULLEY HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE	1.00
A001544	.500"CP ASA SILENT CHAIN (12 TO 16)..M2 HSS MACHINE RELIEVED GEAR HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	1.00
A001549	.500"CP GOODYEAR "H" RANGE:10 to 23..PMM4 HSS+TIN MACHINE RELIEVED HOB ..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
A001552	.500"CP AX 14.5°PA 1 START 1.375"WPD..M35 HSS GROUND FORM RELIEVED HOB..1.962"DIA. x 4.000"LONG x 0.625"BORE	1.00
A001560	.500"CP .335"ROLLER DIA. 2 START #42..M2 HSS GROUND FORM RELIEVED HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE..	1.00
A001576	0.875"CP (XH) TIMING PULLEY PROFILE..M2 HSS MACHINE RELIEVED GEAR HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
A001605	.375"CP .200"ROLLER DIA. #35 CHAIN..M2 HSS MACHINE RELIEVED GEAR HOB..3.000"DIA. x 2.500"LONG x 1.250"BORE	1.00
A001606	.375"CP 0.250"ROLLER DIA. #36 CHAIN..M2 HSS MACHINE RELIEVED GEAR HOB..3.000"DIA. x 2.500"LONG x 1.250"BORE	1.00
A001607	.500"CP 0.3125"ROLLER DIA. #40 CHAIN..M2 HSS MACHINE RELIEVED GEAR HOB..3.125"DIA. x 2.500"LONG x 1.250"BORE	1.00
A001609	.750"CP 0.469"ROLLER (ASA #60 CHAIN)..M35 MACHINE RELIEVED CHAIN HOB..3.500"DIA. x 2.500"LONG x 1.250"BORE	1.00
A001609R	.750"CP 0.469"ROLLER (ASA #60 CHAIN)..M35 MACHINE RELIEVED CHAIN HOB..3.500"DIA. x 2.500"LONG x 1.250"BORE	1.00
A001615	1.500"CP .875"ROLLER DIA. #120 CHAIN..M35 HSS MACHNE RELIEVED GEAR HOB..5.000"DIA. x 4.750"LONG x 1.250"BORE	1.00
A002130	6 SPLINES ON 1.375"MAJOR DIA. (C-FIT)..1.096"MINOR DIA. 0.340"KEY WIDTH..M2 HSS + TIN MACHINE RELIEVED HOB ..2.750"DIA	1.00
A002140	6 SPLINES ON 1.500"MAJOR DIA. 'A' FIT..1.350"MINOR DIA. 0.375"WIDTH OF KEYS..PM-M4 HSS MACHINE RELIEVED HOB..2.750"DIA	1.00
A002170	6 SPLINES ON 1.750"MAJOR DIA. B FIT /C ..1.485"MINOR DIA. 0.434"WIDTH OF KEYS..M2 HSS MACHINE RELIEVED GEAR HOB..3.000	1.00
A002275	8 SPLINES ON 1.890 MAJOR DIA. (48)..1.653"MINOR DIA.(42) 0.315"KEYS (8)..M35 HSS GROUND FORM GEAR HOB..3.000"DIA. x 3.000	2.00
A002277	8 SPLINES ON 2.126"MAJOR DIA.(54MM)..1.811"MINOR DIA.(46MM) .354"KEYS(9MM)..M35 HSS GROUND FORM RELIEVED HOB..3.250	1.00
A002280	9 SPLINES ON 0.606"MAJOR DIAMETER..0.474"MINOR DIA. 0.096"WIDTH OF KEYS..M2 HSS GROUND FORM RELIEVED HOB..1.875"D	1.00
A002330	10 SPLINES ON 0.995"MAJOR DIAMETER..0.893"MINOR DIA. 0.155"WIDTH OF KEYS..M2 HSS GROUND FORM RELIEVED HOB..2.000"	1.00
A002350	10 SPLINES ON 1.250"MAJOR DIA. "B"FIT..1.003"MINOR DIA. 0.192"WIDTH OF KEYS..M4 HSS GROUND FORM RELIEVED HOB..2.500"	2.00
A002357	10 SPLINES ON 1.375"MAJOR DIA. B-FIT..1.107"MINOR DIA. 0.212"WIDTH OF KEYS..M2 HSS GROUND FORM RELIEVED HOB..2.750"	2.00
A002360	10 SPLINES ON 1.375"MAJOR DIA. S-FIT-C..1.141"MINOR DIA. 0.213"WIDTH OF KEYS..M3 HSS MACHINE RELIEVED GEAR HOB..2.750"	3.00
A002405	10 SPLINES ON 1.500"MAJOR DIA. B-FIT C ..1.200"MINOR DIA. 0.230"WIDTH OF KEYS..M35 HSS GROUND FORM RELIEVED HOB..2.750"	1.00
A002475	10 SPLINES ON 2.000"MAJOR DIA. S-FIT..1.756"MINOR DIA. .2965"WIDTH OF KEYS..M2 HSS GROUND FORM RELIEVED HOB..3.000"D	1.00
A002480	10 SPLINES ON 2.250"MAJOR DIA. B-FIT..1.812"MINOR DIA. .346"WIDTH OF KEYS..PM-M4 MACHINE RELIEVED GEAR HOB..3.000"DI	1.00
A002500	10 SPLINES ON 2.750"MAJOR DIA. 'A'-FIT..2.503"MINOR DIA. .430"WIDTH OF KEYS..PM-M4 HSS MACHINE RELIEVED HOB..3.250"DIA	1.00
A002515	10 SPLINES ON 3.228"MAJOR DIA. (82)..2.874"MIN.DIA.(73) 0.4772"(12) KEYS..M2 HSS GROUND FORM RELIEVED HOB..3.500"DIA. x	1.00
A002700	16 SPLINES ON 1.375"MAJOR DIAMETER..1.110"MINOR DIA. 0.135"WIDTH OF KEYS..M35 HSS GROUND FORM RELIEVED HOB..2.625	1.00
B000000	GEAR SHAPER CUTTERS (NEW/RENTAL) ..	1.00
B000040	2.5 DP 20°PA 0.934"CD 5.2"PD F/FILLET..PMM4 HSS+TIN DISC SHAPER CUTTER..13 TEETH x 1.300"WIDE x 1.750"BORE	1.00
B000048	3 DP 14.5°PA 0.750"CD 4"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..12 TEETH x 1.125"WIDE x 1.250"BORE.	1.00
B000050	3 DP 14.5°PA 0.750"CD 4"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..12 TEETH x 1.125"WIDE x 1.250"BORE.	1.00
B000070	3/4 DP 20°PA 0.5625"CD 4"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..12 TEETH x 1.062"WIDE x 1.250"BORE	1.00
B000072	3/5 DP 20°PA 0.450"CD 4"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..12 TEETH IN CUTTER x 1.250"BORE	1.00
B000076	3.5 DP 20°PA 0.6428"CD 4"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..14 TEETH x 1.154"WIDE x 1.250"BORE	1.00

Item	Description	Quantity On Hand
B000098	4 DP 20°PA 0.470"CD 5"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..20 TEETH x 0.975"WIDE x 1.750"BORE	1.00
B000105	4/8DP 30°PA FLAT ROOT/SIDE FIT 2"PD..REX76 + TiAlN DISC SHAPER CUTTER..8 TEETH x 0.875"WIDE x 0.750"BORE	1.00
B000121	5 DP 14.5°PA 0.450"CD 4"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..20 TEETH x 0.955"WIDE x 1.250"BORE	1.00
B000129	5 DPT 20°PAT 15°HA 0.354"CD RH 4"PD..G20 HSS DISC TYPE SHAPER CUTTER..20 TEETH IN CUTTER x 1.250"BORE	1.00
B000130	5 DP 20°PA 0.450"CD 4.000"PCD..M2 HSS DISC TYPE SHAPER CUTTER..20 TEETH x 1.00"WIDE x 1.250"BORE	1.00
B000131	5 DP 20°PA 0.450"CD 4.000"PCD Z20..M35 + TiN DISC TYPE SHAPER CUTTER..20 TEETH x 1.000"WIDE x 1.250"BORE	2.00
B000135	5 DP 20°PA 0.450"CD 5.000"PD Z25..M35 HSS DISC TYPE SHAPER CUTTER..25 TEETH x 1.000"WIDE x 1.750"BORE	2.00
B000144	5/10DP 30°PA FLAT ROOT/SIDE FIT 2"PD..M2 HSS DISC TYPE SHAPER CUTTER..10 TEETH x 0.875"WDE x 0.750"BORE	1.00
B000150	6DP 14.5°PA 0.375"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..18 TEETH x 1.000"WIDE x 1.250"BORE	1.00
B000158	6 DP 20°PA 0.375"CD 1.333"PCD..M2 HSS SHANK TYPE SHAPER CUTTER..8 TEETH IN CUTTER ON FELLOWS TAPER..SHANK 4.000	1.00
B000160	6 DP 20°PA 0.375"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..18 TEETH x 0.984"WIDE x 1.250"BORE	1.00
B000172	6/8DP 20°PA 0.2812"CD 4"PD FINISHER..M3 HSS DEEP C-BORE SHAPER CUTTER..24 TEETH IN CUTTER x 1.250"BORE	1.00
B000210	7/9 DP 20°PA 0.250"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..21 TEETH IN CUTTER x 1.250"BORE	1.00
B000225	8DP 14.5°PA 0.2813"CD 4"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..32 TEETH x 0.984"WIDE x 1.250"BORE	1.00
B000230	8DP 20°PA 0.2812"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..24 TEETH x 0.975"WIDE x 1.250"BORE	1.00
B000240	8/10 DP 20°PA 0.225"CD 3"PD FINISHER..M2HSS+TiN DISC TYPE SHAPER CUTTER..24 TEETH IN CUTTER x 1.250"BORE	1.00
B000243	8/16DP 30°PA FLAT ROOT/SIDE FIT 1.5PD..M35 + AlCrONa DISC SHAPER CUTTER..12 TEETH x 0.825"WIDE x 0.500"BORE	2.00
B000248	8/16DP 30°PA FLAT ROOT/SIDE FIT 3"PD..M2 HSS+AlCrONa DISC SHAPER CUTTER..24 TEETH x 0.952"WIDE x 1.250"BORE	1.00
B000251	8/16DP 30°PA FILLET ROOT 0.750"PCD..M2 HSS SHANK TYPE SHAPER CUTTER..6 TEETH ON RIBBED FELLOWS TAPER SHANK 6.1	1.00
B000252	8/16DP 30°PA FILLET ROOT 0.750"PCD..M3 HSS SHANK TYPE SHAPER CUTTER..6 TEETH ON RIBBED FELLOWS TAPER..SHANK 5.	1.00
B000260	8/16DP 30°PA FILLET ROOT 4.000"PCD..M2 HSS DISC TYPE SHAPER CUTTER..32 TEETH IN CUTTER x 1.250"BORE..	1.00
B000270	9 DP 20°PA 0.250"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..27 TEETH IN CUTTER x 1.250"BORE	1.00
B000281	10DP 14.5°PA 0.225"CD 3"PD FINISHER..M35 + TiAlN DISC TYPE SHAPER CUTTER..30 TEETH x 0.866"WIDE x 1.250"BORE	2.00
B000285	10 DP 20°PA 0.225"CD 1.000"PCD..M2 HSS SHANK TYPE SHAPER CUTTER..10 TEETH IN CUTTER ON No.2MT SHANK..4.750"OVERA	1.00
B000291	10 DP 20°PA 0.225"CD 3"PD FINISHER..M35 + AlCrONa DISC SHAPER CUTTER..30 TEETH x 0.945"WIDE x 1.250"BORE	1.00
B000292	10DP 20°PA 0.225"CD 4"PD FINISHER M35+AlCrONa DISC SHAPER CUTTER..40 TEETH x 0.905"WIDE x 1.250"BORE	2.00
B000293	10 DP 20°PA 0.225"CD 4"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..40 TEETH x 0.875"WIDE 1.250"BORE	1.00
B000298	10/12 DP 20°PA 0.1875"CD 0.700"PD..ASP2030 HSS SHANK SHAPER CUTTER..7 TEETH ON FELLOWS LONG TAPER..SHANK 5.114"C	1.00
B000300	10/12 DP 20°PA 0.1875"CD 3.000"PD..M2 HSS DISC TYPE SHAPER CUTTER..30 TEETH x 0.875"WIDE x 1.250"BORE	1.00
B000397	10/20 DP 30°PA FILLET ROOT/SIDE FIT..M2 HSS DISC TYPE SHAPER CUTTER ..15 TEETH x 0.825"WIDE x 0.500"BORE.	1.00
B000399	10/20DP 30°PA FILLET ROOT/SIDE FIT..M2 HSS SHANK TYPE SHAPER CUTTER..10 TEETH IN CUTTER ON No.2 MT SHANK..3.500"OV	1.00
B000400	10/20 DP 30°PA FILLET ROOT/SIDE FIT..G20 HSS+TiN SHANK SHAPER CUTTER..12 TEETH IN CUTTER ON No.2 MORSE..TAPER SH	1.00
B000401	10/20DP 30°PA FLAT ROOT/SIDE FIT ..M35+AlCrONa DISC SHAPER CUTTER..14 TEETH x 0.812"WIDE x 0.500"BORE.	1.00
B000423	12DP 14.5°PA 0.1875"CD 4"PD FINISHER..M35 + AlCrONa DISC SHAPER CUTTER..48 TEETH x 0.875"WIDE x 1.250"BORE.	3.00
B000427	12 DP 20°PA .1875"CD 1.75"PD FINISHER..M3 HSS DISC TYPE SHAPER CUTTER..21 TEETH x 0.750"WIDE x 0.750"BORE	1.00
B000431	12 DP 20°PA .1875"CD 3.0"PD FINISHER..M35 + AlCrONa DISC SHAPER CUTTER..36 TEETH x 0.866"WIDE x 1.250"BORE	2.00
B000433	12DP 20°PA 0.1875"CD 5"PD FINISHER..M2 HSS + TiN DISC SHAPER CUTTER..60 TEETH x 0.904"WIDE x 1.750"BORE	1.00
B000449	12/24DP 30°PA FLAT ROOT/SIDE FIT 3"PD..M2 HSS DISC TYPE SHAPER CUTTER ..36 TEETH x 0.935"WIDE x 1.250"BORE	1.00
B000450	12/24DP 30°PA FLAT ROOT/SIDE FIT 3"PD..G20 HSS DISC TYPE SHAPER CUTTER..36 TEETH x 0.875"WIDE x 1.250"BORE	1.00
B000451	12/24DP 30°PA FLAT ROOT/SIDE FIT 4"PD..M35 HSS + TiN DISC SHAPER CUTTER..48 TEETH x 0.950"WIDE x 1.250"BORE	1.00
B000456	12/24DP 30°PA FLAT ROOT/SIDE FIT 8T..G20 HSS SHANK TYPE SHAPER CUTTER..8 TEETH ON No.2 MORSE TAPER SHANK..5.062"O	1.00
B000460	14 DP 14.5°PA 0.1607"CD 3"PD FINISHER..M2 HSS + TiN DISC SHAPER CUTTER..42 TEETH x 0.735"WIDE x 1.250"BORE.	1.00
B000461	14DP 14.5°PA 0.1607"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..42 TEETH x 0.670"WIDE x 1.250"BORE	2.00
B000465	14 DP 20°PA 0.1607"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..42 TEETH x 0.635"WIDE x 1.250"BORE	1.00
B000470	14DP 20°PA 0.1607"CD 3"PD FINISHER..M2 + TiN DISC TYPE SHAPER CUTTER..42 TEETH x 0.735"WIDE x 1.250"BORE	1.00
B000487	16 DP 20°PA 0.1406"CD 1.5"PD FINISHER..REX54 HSS DISC TYPE SHAPER CUTTER..24 TEETH x 0.750"WIDE x 0.500"BORE.	1.00
B000490	16 DP 20°PA 0.1406"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER ..48 TEETH x 1.000"WIDE x 1.250"BORE.	1.00
B000493	16DP 20°PA 0.1406"CD 4"PD FINISHER..M35 + AlCrONa DISC SHAPER CUTTER..64 TEETH x 0.787"WIDE x 1.250"BORE.	2.00
B000495	16 DP 25°PA 0.1406"CD 3"PD FINISHER..M2 HSS DEEP C/BORE SHAPER CUTTER..48 TEETH IN CUTTER x 1.250"BORE	1.00
B000498	16/32DP 30°PA FILLET ROOT/SIDE FIT 3" ..M2 HSS DISC TYPE SHAPER CUTTER..48 TEETH x 0.715"WIDE x 1.250"BORE	1.00
B000500	16/32DP 30°PA FLAT ROOT/SIDE FIT ANSI..ASP2030+AlCrONa SHANK TYPE CUTTER..7 TEETH ON No.2 MORSE TAPER SHANK..4.375	2.00
B000506	16/32DP 30°PA FLAT ROOT/SIDE FIT 2"PD..ASP30 HSS+TiAlN DISC SHAPER CUTTER..32 TEETH x 0.637"WIDE x 0.750"BORE	1.00
B000507	16/32DP 30°PA FLAT ROOT/S-FIT 2.5"PD..PM-M2 HSS + TiN DISC SHAPER CUTTER..40 TEETH x 0.767"WIDE x 1.000"BORE	1.00
B000508	16/32DP 45°PA FULL FILLET ROOT 1.5"PD..G20 HSS DISC TYPE SHAPER CUTTER..24 TEETH x 0.785"WIDE x 0.500"BORE	1.00
B000509	16/32 DP 45°PA FULL FILLET ROOT 3"PD..M2 HSS DISC TYPE SHAPER CUTTER..48 TEETH x 0.583"WIDE x 1.250"BORE	1.00
B000510	16/32DP 45°PA FULL FILLET 0.375"PD..M2 HSS SHANK TYPE SHAPER CUTTER..6 TEETH IN CUTTER ON No.2 MT SHANK..3.636"OVI	1.00
B000511	18DP 14.5°PA 0.125"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..54 TEETH x 0.605"WIDE x 1.250"BORE	1.00
B000514	18 DP 14.5°PA 0.125"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..54 TEETH x 0.605"WIDE x 1.250"BORE	1.00
B000541	20 DP 20°PA 0.112"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..60 TEETH x 0.545"WIDE x 1.250"BORE	1.00
B000543	20 DP 20°PA 0.1125"CD SEMI-TOPPING ..M35 HSS DISC TYPE SHAPER CUTTER..80 TEETH x 0.934"WIDE x 1.250"BORE	1.00

Item	Description	Quantity On Hand
B000545	20/40 DP 30°PA FLAT ROOT/SIDE FIT ..G30 HSS SHANK TYPE SHAPER CUTTER..14 TEETH ON FELLOWS SHORT TAPER..SHANK 6"	2.00
B000546	20/40 DP 30°PA FLAT ROOT/SIDE FIT ..G20 HSS SHANK TYPE SHAPER CUTTER..16 TEETH ON FELLOWS SHORT TAPER..SHANK 4.	1.00
B000553	20/30DP 30°PA 0.077"CD FILLET ROOT ..M2 HSS SHANK TYPE SHAPER CUTTER..6 TEETH IN CUTTER ON No.2 MT SHANK..3.312"C	1.00
B000554	20/30 DP 30°PA 0.084"CD FILLET ROOT ..ASP2030 HSS SHANK SHAPER CUTTER..16 TEETH IN CUTTER ON No.2 MT SHANK..4.642'	1.00
B000555	20/30DP 30°PA 0.086"CD FILLET ROOT ..M2 HSS DISC TYPE SHAPER CUTTER..64 TEETH x 560"WIDE x 1.250"BORE	1.00
B000558	20/40 DP 30°PA FILLET ROOT/SIDE FIT ..ASP2030 HSS DISC SHAPER CUTTER..28 TEETH x 0.675"WIDE x 0.500"BORE	2.00
B000563	24DP 14.5°PA .0937"CD 3"PD FINISHER..M35 + TiAIN DISC TYPE SHAPER CUTTER..72 TEETH x 0.591"WIDE x 1.250"BORE	2.00
B000574	24DP 20°PA 0.0937"CD 4"PD FINISHER..M35 + AlCrONa DISC SHAPER CUTTER..96 TEETH x 0.787"WIDE x 1.250"BORE	1.00
B000575	24DP 20°PA 0.0937"CD 4"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..96 TEETH IN CUTTER x 1.250"BORE	1.00
B000577	24 DP 25°PA 0.0936"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..72 TEETH x 0.787"WIDE x 1.250"BORE	1.00
B000580	24/48DP 30°PA FLAT ROOT/SIDE FIT 3"PD..M2 HSS DISC TYPE SHAPER CUTTER..72 TEETH x 0.625"WIDE x 1.250"BORE	1.00
B000582	24/48DP 30°PA FLAT ROOT/SIDE FIT..REX54 HSS SHANK SHAPER CUTTER..22 TEETH ON FELLOWS LONG TAPER..SHANK 5.875"C	1.00
B000583	24/48DP 30°PA FLAT ROOT/SIDE FIT 1"PD..M2 HSS SHANK TYPE SHAPER CUTTER..24 TEETH ON #2 MORSE TAPER SHANK..3.532"C	1.00
B000585	24/48 DP 30°PA FILLET ROOT 1.0"PCD..ASP2030 HSS SHANK SHAPER CUTTER..24 TEETH ON #2 MORSE TAPER SHANK..4.487"OV	1.00
B000590	24/48 DP 45°PA FILLET ROOT 3.0"PCD..M2 HSS DISC TYPE SHAPER CUTTER..72 TEETH x 0.780"WIDE x 1.250"BORE	1.00
B000595	26DP 20°PA 0.0866"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..78 TEETH x 0.562"WIDE x 1.250"BORE	1.00
B000605	32 DP 20°PA 0.0702"CD NT FINISHER..M2 HSS SHANK TYPE SHAPER CUTTER..32 TEETH IN CUTTER ON No.1 MORSE..TAPER SH/	1.00
B000619	32/64 DP 30°PA FILLETROOT 0.500"PCD..M2 HSS SHANK TYPE SHAPER CUTTER..16 TEETH IN CUTTER ON No.1 MT SHANK..2.500'	1.00
B000620	32/64DP 30°PA FLAT ROOT/SIDE FIT 3"PD..M2 HSS DISC TYPE SHAPER CUTTER..96 TEETH x 0.750"WIDE x 1.250"BORE	1.00
B000630	32/64DP 45°PA FILLET ROOT 3.000"PCD..M2 HSS DISC TYPE SHAPER CUTTER..96 TEETH x 0.605"WIDE x 1.250"BORE	1.00
B000635	36 DP 20°PA 0.0631"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..108 TEETH x 0.625"WIDE x 1.250"BORE	1.00
B000635TiN	36 DP 20°PA 0.0631"CD 3"PD FINISHER..M2 HSS + TiN DISC SHAPER CUTTER..108 TEETH x 0.625"WIDE x 1.250"BORE	1.00
B000640	40/80DP 30°PA FLAT ROOT/SIDE FIT 3"PD..M2 HSS DISC TYPE SHAPER CUTTER..120 TEETH x 0.687"WIDE x 1.250"BORE	1.00
B000650	40/80 DP 30°PA FILLET ROOT 3"PD..M2 HSS DISC TYPE SHAPER CUTTER..120 TEETH x 0.687"WIDE x 1.250"BORE	1.00
B000668	48/96 DP 30°PA FILLET ROOT 0.5"PD..M2 HSS SHANK TYPE SHAPER CUTTER..24 TEETH ON #2 MORSE TAPER SHANK..3.125"OVE	1.00
B000671	48 SERRATIONS ON 1.375"DIA. INTERNAL..ASP2030 HSS SHANK SHAPER CUTTER..36 TEETH ON #2 MORSE TAPER SHANK..3.015"C	1.00
B000673	64DP 20°PA 0.0375"CD 1.5"PD FINISHER..M2 HSS SHANK TYPE SHAPER CUTTER..96 TEETH ON #1 MORSE TAPER SHANK..1.925"OV	1.00
B000675	80 DP 20°PA 0.030"CD 1"PD FINISHER..ASP2023 HSS DISC SHAPER CUTTER..80 TEETH x 0.657"WIDE x 0.500"BORE.	1.00
B000677	80 DP 20°PA .0295"CD 1.5"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..120 TEETH x 0.387"WIDE x 0.625"BORE	1.00
B000690	.250"CP 14.5°PA .179"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..38 TEETH IN CUTTER x 1.250"BORE	1.00
B000705	.375"CP 20°PA .2686"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..25 TEETH x 1.000"WIDE x 1.250"BORE	1.00
B000707	.375"CP 20°PA .2686"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..25 TEETH x 0.750"WIDE x 1.250"BORE	1.00
B000715	.500"CP 14.5°PA 0.3581"CD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..19 TEETH x 0.875"WIDE x 1.250"BORE	1.00
B000720	.500"CP 20°PA 0.3581"CD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..19 TEETH x 0.875"WIDE x 1.250"BORE	1.00
B000721	.500"CP 20°PA 0.358"CD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..19 TEETH x 0.757"WIDE x 1.250"BORE	2.00
B000725	.625"CP 14.5°PA .478"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..15 TEETH x 0.875"WIDE x 1.250"BORE	1.00
B000730	.625"CP 20°PA 0.4476"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..15 TEETH x 0.875"WIDE x 1.250"BORE	1.00
B000732	.875"CP 20°PA 0.626"CD 4"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..14 TEETH x 1.100"WIDE x 1.250"BORE	1.00
B000735	.250"CP .130"ROLLER DIAMETER 3"PD..M2 HSS DISC TYPE SHAPER CUTTER..38 TEETH x 0.875"WIDE x 1.250"BORE	1.00
B000740	.375"CP .200"ROLLER DIAMETER 3"PD..M35 + AlCrONa DISC SHAPER CUTTER..25 TEETH x 0.875"WIDE x 1.250"BORE	1.00
B000743	.375"CP (L) 40°INC 0.086"CD TOPPING ..PMM4 HSS ASA TIMING PULLEY SHAPER..25 TEETH x 1.000"WIDE x 1.250"BORE	1.00
B000744	.375"CP (L) 40°INC 0.084"CD TOPPING..PMM3 HSS +TiN TIMING PULLEY CUTTER..42 TEETH x 1.000"WIDE x 1.250"BORE	1.00
B000747	.500"CP .335"ROLLER #42 CHAIN 4"PD..M2 HSS DISC TYPE SHAPER CUTTER..25 TEETH x 0.875"WIDE x 1.250"BORE	1.00
B000760	1"CP 0.625"ROLLER DIA. 3.862"PCD..M2 HSS CHAIN SPROCKET CUTTER..12 TEETH x 1.000"WIDE x 1.250"BORE	1.00
B000765	1.25"CP 0.750"ROLLER DIA. 4.023"PCD..M2 HSS CHAIN SPROCKET CUTTER..10 TEETH x 1.000"WIDE x 1.250"BORE	1.00
B000790	0.5MOD. 20°PA .0453"CD 2.500"PD ..T1 HSS DISC TYPE SHAPER CUTTER ..126 TEETH x 0.375"WIDE x 1.250"BORE	1.00
B000801	1 MOD. 20°PA .8859"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..76 TEETH x 1.025"WIDE x 1.250"BORE	1.00
B000821	1.5 MOD.20°PA 0.1329"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..51 TEETH x 0.906"WIDE x 1.250"BORE	1.00
B000822	1.5 MOD. 20°PA FLAT ROOT (JIS D 2001) ..ASP2030 + TiN DISC SHAPER CUTTER..51 TEETH x 0.866"WIDE x 1.250"BORE	1.00
B000823	1.5MOD.20°PA 0.1328"CD 3"PD FINISHER..M2 HSS + TiN DISC SHAPER CUTTER..50 TEETH x 0.982"WIDE x 1.250"BORE	1.00
B000828ALC	1.5MOD. 20°PA .1329"CD TOPPING 4"PD..M35 HSS DISC TYPE SHAPER CUTTER..68 TEETH x 0.945"WIDE x 1.250"BORE..(AlCrONa	1.00
B000838	2 MOD. 14.5°PA .1772"CD 3"PD FINISHER..PMM4 HSS DISC TYPE SHAPER CUTTER..36 TEETH x 0.875"WIDE x 1.250"BORE	1.00
B000844	2 MOD. 20°PA FLAT ROOT (JIS D 2001)..ASP2030 HSS SHANK SHAPER CUTTER..13 TEETH ON #2 MORSE TAPER SHANK..5.375"OVE	1.00
B000850	2.25 MOD. 20°PA 0.1993"CD 3.000"PCD..M2 HSS DISC TYPE SHAPER CUTTER..34 TEETH x 0.875"WIDE x 1.250"BORE	1.00
B000851	2.25 MOD. 20°PA 0.1993"CD 3.000"PCD..M35 HSS DISC TYPE SHAPER CUTTER..34 TEETH x 0.875"WIDE x 1.250"BORE	1.00
B000861	2.5 MOD. 20°PA 0.2214"CD 3" FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..30 TEETH x 0.640"WIDE x 1.250"BORE	1.00
B000865	2.5 MOD. 20°PA 0.2214"WD FINISHER 3"..M35 HSS DISC TYPE SHAPER CUTTER..30 TEETH x 0.866"WIDE x 1.250"BORE.	1.00
B000874	3 MOD. 14.5°PA 0.266"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..26 TEETH x 0.925"WIDE x 1.250"BORE	1.00
B000876	3 MOD. 20°PA 0.266"CD 3"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..25 TEETH x 0.945"WIDE x 1.250"BORE	1.00
B000881	3 MOD. 20°PA 0.2657"CD 4"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..34 TEETH x 0.905"WIDE x 1.250"BORE	1.00

Item	Description	Quantity On Hand
B000886	3.25MOD.20°PA .2879"CD 3"PD FINISHER ..M2 HSS DISC TYPE SHAPER CUTTER..24 TEETH x 0.866"WIDE x 1.250"BORE	1.00
B000892	3.5MOD.14.5°PA .310"CD 4"PD FINISHER ..M2 HSS DISC TYPE SHAPER CUTTER..29 TEETH x 0.875"WIDE x 1.750"BORE	2.00
B000893	3.5MOD. 20°PA 0.310"CD 4"PD FINISHER..M35 HSS DISC TYPE SHAPER CUTTER..29 TEETH x 0.965"WIDE x 1.250"BORE	2.00
B000893TAL	3.5MOD. 20°PA 0.310"CD 4"PD FINISHER..M35+TAIN DISC TYPE SHAPER CUTTER..29 TEETH x 0.965"WIDE x 1.250"BORE	1.00
B000900	4 MOD. 20°PA 0.3543"CD 3"PD FINISHER..PMM4 HSS DISC TYPE SHAPER CUTTER..19 TEETH x 1.000"WIDE x 1.250"BORE	2.00
B000901	4 MOD. 20°PA 0.3543"CD 3.000"PCD..M2 HSS DISC TYPE SHAPER CUTTER..19 TEETH x 0.827"WIDE x 1.250"BORE	1.00
B000905	4 MOD. 25°PA 0.3543"CD 3"PD FINISHER..PMM4 HSS DISC TYPE SHAPER CUTTER..19 TEETH x 0.875"WIDE x 1.250"BORE	1.00
B000992	4.5 MOD. 25°PA 0.398"CD 3"PD FINISHER..M35 HSS DISC TYPE SHAPER CUTTER..17 TEETH x 0.877"WIDE x 1.250"BORE	1.00
B001000	5 MOD. 20°PA 0.4429"CD 4"PD FINISHER..M35 + TIN DISC TYPE SHAPER CUTTER..20 TEETH x 0.934"WIDE x 1.250"BORE	3.00
B001002	5 MOD. 25°PA 0.4429"CD 4"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..20 TEETH x 1.000"WIDE x 1.250"BORE	1.00
B001011	6 MOD. 20°PA 0.5315"CD 4"PD FINISHER..M35 HSS DISC TYPE SHAPER CUTTER..17 TEETH x 1.052"WIDE x 1.250"BORE	1.00
B001060	1 MOD. 30°PA FLAT ROOT ANSI B92-2M ..M2 HSS DISC TYPE SHAPER CUTTER..100 TEETH x 0.715"WIDE x 1.250"BORE	1.00
B001061	1 MOD. 30°PA FLAT ROOT DIN5480 ..REX54 HSS DISC SHAPER CUTTER..38 TEETH x 0.526"WIDE x 0.500"BORE	1.00
B001064	1 MOD.30°PA FLAT ROOT DIN5480 3"PD..M2 HSS + TIN DISC SHAPER CUTTER..76 TEETH x 0.934"WIDE x 1.250"BORE	1.00
B001067	1.5MOD. 30°PA FLAT ROOT ANSI B92.2M ..G20 HSS SHANK TYPE SHAPER CUTTER..9 TEETH IN CUTTER ON No.2 MT SHANK..4.50'	1.00
B001068	1.5MOD. 30°PA FLAT ROOT 0.5905"PCD ..G20 HSS SHANK TYPE SHAPER CUTTER..10 TEETH IN CUTTER ON #2 MT SHANK..4.500'	1.00
B001070	1.5 MOD. 30°PA 3.000"PCD (DIN5480)..M2 HSS DISC TYPE SHAPER CUTTER..51 TEETH x 0.695"WIDE x 1.250"BORE	1.00
B001075	1.75MOD.30°PA (DIN5482) 3"PD EXT. ..M2 HSS DISC TYPE SHAPER CUTTER..44 TEETH x 0.795"WIDE x 1.250"BORE	1.00
B001081	2 MOD. 30°PA FLAT ROOT (ANSI) 1"PD..ASP30 HSS SHANK SHAPER CUTTER..12 TEETH ON FELLOWS TAPER SHANK..6.450"OVER/	1.00
B001083	2 MOD. 30°PA DIN5482 (26 TO 28 INT.)..ASP23 DISC SHAPER CUTTER S-TOP..19 TEETH x 0.750"WIDE x 0.500"BORE	1.00
B001087	2 MOD. 30°PA FLAT ROOT (ANSI B92.2M)..M2 HSS DISC TYPE SHAPER CUTTER..38 TEETH x 0.935"WIDE x 1.250"BORE	1.00
B001089	2 MOD. 30°PA FLAT ROOT (DIN 5480)..M2 HSS DISC TYPE SHAPER CUTTER..38 TEETH x 0.920"WIDE x 1.250"BORE	1.00
B001091	2.1 MOD. 30PA DIN5482 SEMI TOPPING..REX54 HSS+TIN DISC SHAPER CUTTER..22 TEETH x 0.750"WIDE x 0.750"BORE..(For cutti	1.00
B001095	2.5MOD. 30°PA FLAT ROOT(DIN5480) Z10..PMM2 HSS+TIN SHANK SHAPER CUTTER..10 TEETH ON #2 MORSE TAPER SHANK..3.953	1.00
B001100	3MOD. 30°PA FLAT ROOT (DIN5480)Z10..ASP2030 HSS SHANK SHAPER CUTTER..10 TEETH ON FELLOWS TAPER SHANK..6.475"OVI	1.00
B001220	10SPLINES ON 1.5"MAJOR DIA. INTERNAL SLOTTING TOOL 0.234"WIDTH OF KEYS..2 TEETH ON No.2 MORSE TAPER SHANK..3.250	2.00
B001310	8MM. HTD TIMING PULLEY 18 to 27 TEETH..M35 HSS + AlCrNa DISC TYPE CUTTER..30 TEETH x 0.866"WIDE x 1.250"BORE	2.00
BR00000	MAAG RACK TYPE SHAPER CUTTERS	1.00
BR00004	1 DP 20°PA BACKING PLATE Z3	1.00
BR00007	1.1547DP 17.4949°PA 1.95"CD FINISHER..S390 HSS RACK TYPE SHAPER CUTTER..4 TEETH x 4.242"HIGH x 0.905"SECTION	1.00
BR00008	1 DPT 20°PA 30°HA BACKING PLATE..1.1547 DP 17.4949°PA (4 TEETH)..	1.00
BR00015	1 DP 25°PA 2.250"CD MAAG FINISHER..S390 HSS RACK TYPE SHAPER CUTTER..4 TEETH x 5.000"HIGH x 0.905"SECTION	1.00
BR00020	1 DP 25°PA 2.250"CD MAAG ROUGHER..S390 HSS RACK TYPE SHAPER CUTTER..4 TEETH x 5.000"HIGH x 0.905"SECTION	1.00
BR00030	1 DP 25°PA 2.0588"CD MAAG FINISHER..(9669 TDP 25.7467°TPA 14.780°HA)..ASP2030 HSS SINGLE POINT CUTTER.	2.00
BR00122	1.25 DP 25°PA 1.8"CD MAAG ROUGHER..S390 HSS RACK TYPE SHAPER CUTTER..4 TEETH x 4.210"HIGH x 0.905"SECTION	1.00
BR00340	2 DP 20°PA 1.125"CD MAAG FINISHER..ASP2030 RACK TYPE SHAPER CUTTER..6 TEETH x 3.340"HIGH x 0.905"SECTION	1.00
BR00901	6 DP 20°PA 0.375"CD MAAG FINISHER ASP2030 RACK TYPE SHAPER CUTTER..13 TEETH x 1.890"HIGH x .905"SECTION	1.00
BR00965	16/32DP 30°PA FLAT ROOT (S-TOPPING)..S390 HSS RACK TYPE SHAPER CUTTER..7 TEETH x 1.882"HIGH x 0.790"SECTION	1.00
D000000	GLEASON STRAIGHT BEVEL CUTTERS	1.00
D000030	2DP 20°PA STRAIGHT BEVEL FINISHERS..ASP2023 HSS #24 GLEASON CUTTERS	1.00
D000040	3.5DP 20°PA STRAIGHT BEVEL FINISHER..M2 HSS #12 & #14 GLEASON CUTTERS	2.00
D000042	3.5DP 20°PA STRAIGHT BEVEL ROUGHER..M2 HSS #12 & #14 GLEASON CUTTERS	2.00
D000080	6 DP 20°PA STRAIGHT BEVEL FINISHER..M2 HSS No.12 & 14 GLEASON CUTTERS	1.00
D000097	9DP 20°PA STRAIGHT BEVEL ROUGHER..ASP2030 No.12 & 14 GLEASON CUTTERS	1.00
D000098	10DP 14.5PA STRAIGHT BEVEL FINISHER..M2 HSS No.12 & 14 GLEASON CUTTERS	1.00
D000111	10 DP 20°PA STRAIGHT BEVEL FINISHER..M2 HSS No.12 & 14 GLEASON CUTTERS...	1.00
D000130	12 DP 20°PA STRAIGHT BEVEL FINISHER..M2 HSS No.12 & 14 GLEASON CUTTERS...	1.00
D000160	16DP 14.5PA STRAIGHT BEVEL FINISHER..M2 HSS No.12 & 14 GLEASON CUTTERS...	1.00
D000180	18DP 20°PA STRAIGHT BEVEL FINISHER..M2 HSS No.12 & 14 GLEASON CUTTERS	1.00
D000190	20 DP 20°PA STRAIGHT BEVEL FINISHER..ASP2030 No.12 & 14 GLEASON CUTTERS..	1.00
D000200	2.25MOD 20°PA BEVEL GEAR FINISHER..M2 HSS No.12 & 14 GLEASON CUTTERS	1.00
D000210	2.75 MOD. 20°PA STR.BEVEL ROUGHER..ASP2030 No.12 & 14 GLEASON CUTTERS	1.00
D000215	2.75 MOD. 20°PA STR.BEVEL FINISHER..M2 HSS No.12 & 14 GLEASON CUTTERS	1.00
D000250	6MOD. 20°PA STRAIGHT BEVEL FINISHER..M2 HSS No.12 & 14 GLEASON CUTTERS	1.00
DS00000	STRAIGHT BEVEL CUTTERS (USED)..	1.00
DS00020	6DP 14.5°PA STRAIGHT BEVEL FINISHER..M2 HSS No.12 & 14 GLEASON CUTTERS	1.00
DS00030	6 DP 20°PA STRAIGHT BEVEL FINISHER..M2 HSS No.12 & 14 GLEASON CUTTERS	1.00
DS00040	8DP 20°PA STRAIGHT BEVEL FINISHER..M2 HSS No.12 & 14 GLEASON CUTTERS..(SINGLE PIECE ONLY, NO PAIR.)	1.00
DS00045	10 DP 14.5°PA STRT BEVEL FINISHERS..M2 HSS No.12 & 14 GLEASON CUTTERS..(SINGLE CUTTER ONLY, NO PAIR)	1.00
DS00050	10DP 17.5°PA STRT BEVEL FINISHERS..M2 HSS No.12 & 14 GLEASON CUTTERS	1.00

Item	Description	Quantity On Hand
DS00065	10DP 20°PA STRAIGHT BEVEL FINISHER..M2 HSS No.12 & 14 GLEASON CUTTERS..	1.00
DS00075	12 DP 14.5°PA STRT BEVEL FINISHERS..M2 HSS No.12 & 14 GLEASON CUTTERS..	1.00
E000000	MILLING CUTTERS AND BROACHES	1.00
E000001	0.125"CP 20°PA RANGE:135 TO RACK (8)..M35 HSS SINGLE INDEX MILLING CUTTER..2.250"DIA. x 0.200"WIDE x 1.000"BORE	1.00
E000002	0.125"CP 20°PA RANGE: 55 TO 134 (2)..M35 HSS SINGLE INDEX MILLING CUTTER..2.250"DIA. x 0.200"WIDE x 1.000"BORE	3.00
E000003	0.125"CP 20°PA RANGE: 35 TO 54 (3)..M35 HSS SINGLE INDEX MILLING CUTTER..2.250"DIA. x 0.200"WIDE x 1.000"BORE	3.00
E000004	0.125"CP 20°PA RANGE: 35 TO 54 (3)..M35 HSS SINGLE INDEX MILLING CUTTER..2.250"DIA. x 0.200"WIDE x 1.000"BORE	3.00
E000005	0.125"CP 20°PA RANGE: 21 TO 25 (5)..M35 HSS SINGLE INDEX MILLING CUTTER..2.250"DIA. x 0.200"WIDE x 1.000"BORE	3.00
E000006	0.125"CP 20°PA RANGE: 17 TO 20 (6)..M35 HSS SINGLE INDEX MILLING CUTTER..2.250"DIA. x 0.200"WIDE x 1.000"BORE	3.00
E000007	0.125"CP 20°PA RANGE: 14 TO 16 (7)..M35 HSS SINGLE INDEX MILLING CUTTER..2.250"DIA. x 0.200"WIDE x 1.000"BORE	3.00
E000008	0.125"CP 20°PA RANGE:12 to13 TEETH .M35 HSS SINGLE INDEX MILLING CUTTER..2.250"DIA. x 0.200"WIDE x 1.000"BORE	1.00
E000010	0.333"CP 14.5°PA 0.229"CD 0.103"PW..ASP2030 HSS THREAD MILLING CUTTER..3.312"DIA. x 0.290"WIDE x 1.000"BORE	2.00
E000018	.500"CP 5°PA 0.213"CD 0.2281"PW..PMM4 HSS THREAD MILLING CUTTER..4.000"DIA. x 0.375"WIDE x 1.000"BORE.	2.00
E000019	.500"CP 5°PA 0.213"CD 0.2391"PW..M4 HSS+TIN THREAD MILLING CUTTER..4.000"DIA. x 0.290"WIDE x 1.000"BORE.	2.00
E000020	.500"CP 5°PA 0.213"CD 0.2324"PW..PMM4 HSS THREAD MILLING CUTTER..4.000"DIA. x 0.375"WIDE x 1.000"BORE	1.00
E000022	.500"CP 14.5°PA 0.260"CD 0.205"PW..M35 HSS THREAD MILLING CUTTER..3.625"DIA. x 0.375"WIDE x 1.000"BORE	3.00
E000023	.500"CP 14.5°PA 0.260"CD 0.1831"PW..PMM4 HSS THREAD MILLING CUTTER..3.500"DIA. x 0.500"WIDE x 1.000"BORE	2.00
E000025	.500"CP 14.5°PA 0.343"CD 0.155"PW..M35 HSS THREAD MILLING CUTTER..3.625"DIA. x 0.375"WIDE x 1.000"BORE	1.00
E000035	.500"CP 20°PA 0.304"CD 0.143"PW..PMM4 HSS THREAD MILLING CUTTER..4.000"DIA. x 0.375"WIDE x 1.000"BORE	2.00
E000039	.565"CP 20°PA 0.384"CD 0.1208"PW..ASP2030 HSS THREAD MILLING CUTTER..4.000"DIA. x 0.625"WIDE x 1.000"BORE	4.00
E000040	.625"CP 14.5°PA 0.323"CD 0.226"PW..M2 HSS ACME THREAD MILLING CUTTER..4.000"DIA. x 0.700"WIDE x 1.000"BORE	3.00
E000130	1 MOD. 14.5°PA RANGE: 55 to 134 .M2 HSS SINGLE INDEX MILLING CUTTER..2.000"DIA. x 0.179"WIDE x 1.000"BORE	1.00
E000140	1.25MOD. 20°PA RANGE: 55 to 134 TEETH..M2 HSS SINGLE INDEX MILLING CUTTER..44MM.DIA. x 5MM.WIDE x 16MM.BORE	1.00
E000150	1.5MOD. 20°PA .133"CD RANGE:12 TO 13..M2 HSS SINGLE INDEX MILLING CUTTER..23 MM.DIA. x 0.250"WIDE x 8 MM.BORE	1.00
E000163	2MOD. 20°PA RANGE: 21 TO 25 TEETH..M2 HSS SINGLE INDEX MILLING CUTTER..2.500"DIA. x 0.280"WIDE x 1.000"BORE	1.00
E000168	2.5MOD. 20°PA 0.1181"CD FLAT ROOT..NFE-22141 SPLINES RANGE: 21 TO 25..M35 HSS SINGLE INDEX SPLINE CUTTER..2.750"DIA.	1.00
E000172	2.5MOD. 20°PA RANGE: 26 to 34 TEETH..M2 HSS SINGLE INDEX GEAR CUTTER..2.750"DIA. x 0.344"WIDE x 1.000"BORE	1.00
E000173	2.5MOD. 20°PA RANGE: 35 to 54 TEETH..M2 HSS SINGLE INDEX GEAR CUTTER..2.750"DIA. x 0.324"WIDE x 1.000"BORE	1.00
E000180	4 MOD. 20°PA RANGE: 12 TO 13 TEETH..M2 HSS SINGLE INDEX MILLING CUTTER..3.312"DIA. x 0.550"WIDE x 1.000"BORE	1.00
E000185	5MOD. 20°PA .4246"CD RANGE:35 TO 54..M2 HSS SINGLE INDEX GEAR CUTTER..4.125"DIA. x 0.566"WIDE x 1.000"BORE	1.00
E000302	2.3094 DP 22°PA GEAR ROUGHING CUTTER 1.048"CD FULL FILLET ROOT..CHIP BREAKERS ON BOTH FLANKS OF..EVERY OTHHE	2.00
E000304	3 DP 14.5°PA 0.719"CD 0.324"PW..M2 HSS THREAD MILLING CUTTER..6"DIA. x 0.895"WIDE x 1.750"BORE	1.00
E000305	3DP 20°PA 0.600"CD 0.0281"PW (STUB)..M2 HSS SINGLE INDEX MILLING CUTTER..4.750"DIA. x 0.827"WIDE x 1.250"BORE	1.00
E000306	3 DP 20°PA 0.719"CD 0.243"PW..M2 HSS THREAD MILLING CUTTER..4.810"DIA. x 1.000"WIDE x 1.250"BORE	1.00
E000315	5 DP 20°PA 0.360"CD 0.1686"PW..M2 HSS+TIN RACK MILLING CUTTER..4.000"DIA. x 0.750"WIDE x 1.000"BORE	4.00
E000330	5/10DP 30°PA FILLET ROOT 26 TO 34 (#4)..M2 HSS SINGLE INDEX MILLING CUTTER..3.500"DIA. x 0.585"WIDE x 1.250"BORE	1.00
E000375	6 DP 25°PA 0.3595"CD 0.082"PW..M2 HSS THREAD MILLING CUTTER..5.000"DIA. x 0.526"WIDE x 1.500"BORE	1.00
E000395	7 DP 14.5°PA 0.3081"CD 0.139"PW..M2 HSS THREAD MILLING CUTTER..5"DIA. x 0.420"WIDE x 1.500"BORE	1.00
E000418	8 DP 14.5°PA 0.2696"CD 0.122"PW..M2 HSS THREAD MILLING CUTTER..3.250"DIA. x 0.350"WIDE x 1.250"BORE	1.00
E000435	8 DP 20°PA 0.2696"CD 0.091"PW..M2 HSS THREAD MILLING CUTTER..5.0"DIA. x 0.375"WIDE x 1.500"BORE.	2.00
E000445	9 DP 20°PA .2397"CD RANGE:17 to 20..M2 HSS GEAR MILLING CUTTER (No.6)..2.750"DIA. x 0.400"WIDE x 1.000"BORE	1.00
E000450	10 DP 14.5°PA 0.2157"CD 0.097"PW..M2 HSS THREAD MILLING CUTTER..4.000"DIA. x 0.375"LONG x 1.250"BORE	1.00
E000455	10 DP 20°PA 0.2157"CD 0.073"PW..ASP2030 HSS THREAD MILLING CUTTER..4.000"DIA. x 0.300"WIDE x 1.250"BORE	1.00
E000460	10DP 20°PA RANGE: 17 TO 20 TEETH #6..M2 HSS SINGLE INDEX GEAR CUTTER..2.750"DIA. x 0.355"WIDE x 1.250"BORE	1.00
E000465	10DP 20°PA RANGE: 26 TO 34 TEETH #4 .M2 HSS SINGLE INDEX MILLING CUTTER..2.750"DIA. x 0.340"WIDE x 1.000"BORE	1.00
E000480	12DP 14.5°PA RANGE:55 to 134TEETH (2)..M2 HSS SINGLE INDEX MILLING CUTTER..2.625"DIA. x 0.290"WIDE x 1.000"BORE.	2.00
E000490	12DP 14.5°PA .1798"CD .081POINT WIDTH..M2 HSS + TIN THREAD MILLING CUTTER..3.000"DIA. x 0.230"WIDE x 1.000"BORE.	1.00
E000500	12/24DP 30°PA FLAT ROOT 35 TO 54 (#3)..M2 HSS SINGLE INDEX MILLING CUTTER..3.000"DIA. x 0.244"WIDE x 1.000"BORE	1.00
E000505	12/24DP 30°PA FLAT ROOT 26 TO 34 (#4)..M2 HSS + TiAIN SINGLE INDEX CUTTER..3.000"DIA. x 0.264"WIDE x 1.000"BORE	1.00
E000550	16.234 DP 20°PA 25 TOOTH CIRCLE (7T)..M42 HSS SINGLE INDEX MILLING CUTTER..2.500"DIA. x 0.375"WIDE x 1.000"BORE	1.00
E000660	22 DP 25°PA 0.098"CD 0.0224"PW..M2 HSS THREAD MILLING CUTTER..3.750"DIA. x 0.400"WIDE x 1.250"BORE	3.00
E000710	32/64DP 30°PA FILLET ROOT 35 TO 54(#3)..M2 HSS SINGLE INDEX SPLINE CUTTER..2.750"DIA. x 0.183"WIDE x 1.000"BORE	1.00
E000800	6 SPLINES ON 1.375"MAJOR DIA. "C" FIT..1.096"MINOR DIA. 0.340"WIDTH OF KEYS..M2 HSS SINGLE INDEX MILLING CUTTER..3.000"	1.00
E000810	6 SPLINES ON 1.500"DIAMETER "B-FIT"..1.271"MINOR DIAMETER 0.371"KEYS..M2 HSS SINGLE INDEX MILLING CUTTER..3.000"DIAM	1.00
E000830	6 SPLINES ON 1.750"DIAMETER "C" FIT..1.396"MINOR DIA 0.434"WIDTH OF KEYS..M2 HSS SINGLE INDEX MILLING CUTTER..3.000"D	1.00
E000852	10 SPLINES ON 1.500"MAJOR DIA. 'C' FIT..1.211"MINOR DIA. .2305"WIDTH OF KEYS..M2 HSS + TIN SINGLE INDEX CUTTER..3.000"DIA	1.00
E000860	10 SPLINES ON 1.625"MAJOR DIA. C-FIT..1.311"MINOR DIA. .2505"WIDTH OF KEYS..M4 HSS SINGLE INDEX MILLING CUTTER..3.000"t	1.00
E000900	BLANK STOCK FX14-625-015 (USED)..PMM4 HSS THREAD MILLING CUTTER..6.250"DIA. x 0.725"WIDE x 1.500"BORE	1.00
E000901	BLANK STOCK FX14-625-015 0.125"PW..M2 HSS THREAD MILLING CUTTER..5.911"DIA. x 0.820"WIDE x 1.500"BORE	1.00
E000905	BLANK STOCK FX20-625-015 (USED)..M2 HSS THREAD MILLING CUTTER..6.250"DIA. x 0.725"WIDE x 1.750"BORE	1.00

Item	Description	Quantity On Hand
E001000	MUNTIN FORM MILLING CUTTER ASP2030..38MM. x 10.5MM. x 12.7MM.BORE.	4.00
EBROCH1	.255"KEYWAY ON 1.055"ROUND BODY ..PRODUCTION KEYWAY PULL BROACH..1.000"AUTO PULLER NO RETRIEVER..M35 HSS 39.	1.00
EBROCH3	0.125"HEXAGON PUSH BROACH..0.125"PILOT 4.625"OVERALL LENGTH	4.00
ET00135	TAPER SHANK ADAPTOR 518109..MORSE No.1 TAPER TO MORSE No.2..0.730"MAX.DIAMETER x 3.550"LONG	1.00
ET00208	32DP 20°PA .07075"WD MASTER GEAR..112 TEETH x 0.500"WIDE x 1.250"BORE	1.00
SH00000	USED AND SURPLUS GEAR HOBS	1.00
SH00059	3 DP 25°PA 0.750"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..4.000"DIA. x 5.000"LONG x 1.250"BORE	1.00
SH00062	3 DP 25°PA 0.605"CD RH FINISHER..M35 HSS GROUND FORM GEAR HOB..4.750"DIA. x 5.000"LONG x 1.250"BORE	1.00
SH00090	7DP 20°PA 0.340"CD LH PRE-SHAVE..M2 HSS MACHINE RELIEVED S-TOP HOB..4.000"DIA. x 4.000"LONG x 1.250"BORE	1.00
SH00098	8/16 DP 30°PA FLAT ROOT BS3550..M2 HSS MACHINE RELIEVED GEAR HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
SH00102	10DP AX 14.5°PA .2157"CD RH TOPPING CPM3 HSS WORM GEAR HOB 1.312"WPD .1.6"DIA. x 2.75"LONG ON J9 TAPER 11"OAL	2.00
SH00128	32DP 20°PA 0.071"CD RH FINISHER..M2 HSS GROUND FORM GEAR HOB..1.250"DIA. x 0.750"WIDE x 10MM.BORE	2.00
SH00140	48DP 20°PA 0.047"CD RH FINISHER..M2 HSS GRIUND FORM RELIEVED HOB..1.250"DIA. x 0.812"WIDE x 10MM.BORE.	3.00
SH00142	48DP 20°PA 0.0478"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.750"DIA x 1.500"LONG x 0.750"BORE	1.00
SH00180	64 DP 14.5°PA 0.3637"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..0.975"DIA. x 0.625"WIDE x 8MM.BORE	1.00
SH00186	64 DP 20°PA 0.3637"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.250"DIA. x 0.750"WIDE x 10MM.BORE	3.00
SH00187	64 DP 20°PA 0.0364"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.750"DIA. x 1.250"LONG x 0.750"BORE	2.00
SH00189	72 DP 20°PA 0.0326"CD RH FINISHER..M35 HSS GROUND FORM RELIEVED HOB..1.250"DIA. x 0.750"LONG x 10MM.BORE	2.00
SH00195	80 DP 20°PA 0.0295"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..0.945"DIA. x 0.472"LONG x 8MM.BORE	1.00
SH00196	80 DP 20°PA 0.0295"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.250"DIA. x 0.750"LONG x 10MM.BORE	1.00
SH00197	80 DP 20°PA 0.0295"CD RH FINISHER..M2 HSS GROUND FORM RELEIVED HOB..1.250"DIA. x 0.750"LONG x 0.750"BORE	3.00
SH00200	96 DP 14.5°PA 0.0249"CD RH TOPPING..M2 HSS GROUND FROM RELIEVED HOB..1.125"DIA. x 1.125"LONG x 0.500"BORE	1.00
SH00202	96 DP 20°PA 0.0249"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..0.945"DIA. x 0.405"WIDE x 8MM.BORE	1.00
SH00203	96 DP 20°PA 0.0249"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.250"DIA. x 0.750"LONG x 10MM.BORE	2.00
SH00205	96 DP 20°PA 0.0249"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..1.750"DIA. x 1.250"LONG x 0.750"BORE	2.00
SH00210	120 DP 20°PA 0.0203"CD NT FINISHER..M2 HSS GROUND FORM RELIEVED HOB..0.945"DIA. x 0.394"WIDE x 8MM.BORE	3.00
SH00219	.035"CP 45°INC 0.017"CD 2 STARTS RH..ASP30 HSS GROUND FORM GEAR HOB..1.260"DIA. x 0.866"LONG x 0.500"BORE	1.00
SH00250	.200" CP (XL) TIMING PULLEY PROFILE..M2 HSS MACHINE RELIEVED GEAR HOB..1.875"DIA. x 1.875"LONG x 0.750"BORE	1.00
SH00275	0.500"CP 14.5°PA 0.375"CD 3 STARTS ..RIGHT HAND 2.500"WORM PITCH DIA...HSS MACHINE RELIEVED WORM HOB..3.062"DIA. x	1.00
SH00390	1MOD. AX. 20°PA 4 STARTS LH TOPPING..M2 HSS MACHINE RELIEVED GEAR HOB..0.610"DIA. x 0.675"LONG ON No.2 MORSE..TAPE	1.00
SH00420	2MOD.AX. 20°PA 6 STARTS RH TOPPING..M2 HSS+TIN GROUND FORM WORM HOB..1.860"DIA. x 1.937"LONG x 16MM.BORE..(40MI	1.00
SH00500	36 SERRATIONS ON 0.375"NOMINAL DIA...M2 HSS MACHINE RELIEVED GEAR HOB..2.375"DIA. x 0.875"LONG x 0.875"BORE	4.00
SH00505	36 SERRATIONS ON 0.625"NOMINAL DIA...M2 HSS GROUND FORM RELIEVED HOB..2.375"DIA. x 1.500"WIDE x 0.875"BORE	2.00
SH00510	48 SERRATIONS ON 0.750"NOMINAL DIA...M2 HSS GROUND FORM RELIEVED HOB..2.375"DIA. x 1.500"LONG x 0.875"BORE	2.00
SH00520	48 SERRATIONS ON 1.000"NOMINAL DIA...M2 HSS GROUND FORM RELIEVED HOB..2.375"DIA. x 1.500"LONG x 0.875"BORE	1.00
SH00530	48 SERRATIONS ON 1.125"DIA. (4 START)..M2 HSS MACHINE RELIEVED GEAR HOB..3.000"DIA. x 1.500"LONG x 0.875"BORE	2.00
SH00880	5MOD. 30°PA FLAT ROOT (DIN5480) ..ASP2052 GROUND FORM GEAR HOB 3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
SHC0040	2DP 14.5°PA 1.125"CD 2 START RH..M2 HSS GROUND FORM GEAR HOB..6.250"DIA. x 7.000"LONG x 1.500"BORE..M2 HSS CL"B" NAC	1.00
SHC0058	2DP 20°PA 1.078"CD RH SEMI-TOPPING..M2 HSS MACHINE RELIEVED GEAR HOB..5.750"DIA. x 8.000"LONG x 1.500"BORE..M2 HS	1.00
SHC0062	2DP 20°PA 1.1675"CD RH FULL FILLET ..M2 HSS GROUND FORM RELIEVED HOB ..6.250"DIA. x 8.000"LONG x 1.500"BORE..M2 HS	1.00
SHC0067	2.25 DP 20°PA 0.9587"CD PREGRIND ..M2 HSS MACHINE RELIEVED GEAR HOB..6.000"DIA. x 7.000"LONG x 1.500"BORE..M2 HSS C	1.00
SHC0068	2.25 DP 20°PA 1.000"CD RH FINISHER..M2 HSS GROUND FORM GEAR HOB..5.500"DIA. x 7.5"LONG x 1.500"BORE..M2 HSS HTW C	1.00
SHC0069	2.25DP 20°PA 1.0222"CD 0.020"THIN PG..M2 HSS MACHINE RELIEVED GEAR HOB..6.000"DIA. x 7.000"LONG x 1.500"BORE..M2 HS	1.00
SHC0071	2.25 DP 20°PA 1.044"CD 0.018"THIN PG..M2 HSS MACHINE RELIEVED GEAR HOB..6.000"DIA. x 8.000"LONG x 1.500"BORE..M2 HS	1.00
SHC0073	2.25DP 20°PA 1.0667"CD PG .016"THIN..PMM4 + TIN MACHINE RELIEVED HOB..5.500"DIA. x 8.000"LONG x 1.500"BORE..PMM4+TIN	1.00
SHC0074	2.5 DP 20°PA 0.925"CD 0.020"THIN PG..M2 HSS MACHINE RELIEVED GEAR HOB..5.500"DIA. x 7.000"LONG x 1.500"BORE CL"C" S	1.00
SHC0075	2.5DP 20°PA 0.962"CD S-TOPP .007"THIN..M4 HSS GROUND FORM PRESHAVE HOB..5.250"DIA. x 5.000"LONG x 1.500"BORE..M4 HS	1.00
SHC0076	2.5DP 20°PA 1.008"CD RH SEMI-FINISHER ..M2 HSS MACHINE RELIEVED GEAR HOB..7.000"DIA. x 7.500"LONG x 2.500"BORE..M2 HS	1.00
SHC0080	2.5 DPT 20°PA 0.7941"CD RH 23°HA ..M2 HSS MACHINE RELIEVED GEAR HOB..5.000"DIA. x 6.500"LONG x 1.500"BORE STAR/SU L	3.00
SHC0088	2.5 DP 25°PA 0.860"CD RH FINISHER..M2 HSS GROUND FORM GEAR HOB..6.000"DIA. x 8.000"LONG x 2.000"BORE..M2 HSS CL"A"	1.00
SHC0090	2.5DP 25°PA 0.900"CD LH PG 0.014"THIN..M2 HSS GROUND FORM PRE-GRIND HOB..5.500"DIA. x 7.000"LONG x 1.500"BORE..M2 H	1.00
SHC0091	2.5/5DP 30°PA FLAT ROOT/SIDE FIT (ASA)..M2 HSS GROUND FORM RELIEVED HOB..4.500"DIA. x 5.000"LONG x 1.250"BORE..NORF	1.00
SHC0093	2.75DP 14.5°PA 0.7844"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..4.500"DIA. x 6.000"LONG x 1.500"BORE..M2 HS	1.00
SHC0096	3DP 25°PA 0.7783"CD RH FULL-FILLET..M2 HSS MACHINE RELIEVED GEAR HOB..4.500"DIA. x 5.000"LONG x 1.250"BORE..CL"D" S	1.00
SHC0099	3/6DP 30°PA FLAT ROOT ASA-B5-15-1950)..M35 HSS GROUND FORM SPLINE HOB..3.500"DIA. x 3.750"LONG x 1.250"BORE..SVA SWE	1.00
SHC0103	3.5DP 20°PA 0.5143"CD RH TOPPING..REX76+TICN MACHINE RELIEVED HOB..3.500"DIA. x 4.750"LONG x 1.250"BORE	1.00
SHC0104	3.5DP 20°PA 0.5143"CD LH TOPPING..REX76+TICN MACHINE RELIEVED HOB..3.500"DIA. x 4.750"LONG x 1.250"BORE	1.00
SHC0110	3.5 DP 25°PA 0.6671"CD RH F-FILLET..PM-M3 MACHINE RELIEVED GEAR HOB..4.250"DIA. x 4.250"LONG x 1.250"BORE ..PFAUTER	1.00
SHC0111	3.5DP 25°PA 0.5143"CD RH TOPPING..REX76+TICN MACHINE RELIEVED HOB..3.500"DIA. x 4.750"LONG x 1.250"BORE	1.00
SHC0112	4 DP 20°PA 0.5393"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..4.000"DIA. x 4.000"LONG x 1.250"BORE..CL"D" ST/	1.00

Item	Description	Quantity On Hand
SHC0114	4DP 25°PA 0.5392"CD RH FINISHER..M4 HSS+TIN GROUND FORM GEAR HOB..7.000"DIA. x 7.000"LONG x 1.250"BORE..STAR/SU I	1.00
SHC0115	4 DP 25°PA 0.5392"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..3.750"DIA. x 4.500"LONG x 1.250"BORE..M2 HSS N	1.00
SHC0116	4 DP 25°PA 0.5393"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..4.000"DIA. x 4.000"LONG x 1.250"BORE...CL"B"HAF	1.00
SHC0120	4/5DP 20°PA 0.450"CD FELLOWS STUB..M35 HSS GROUND FORM RELIEVED HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE	1.00
SHC0122	4/5DP 20°PA 0.450"CD FELLOWS STUB..M2 HSS GROUND FORM RELIEVED HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE..CL"B" IT	1.00
SHC0130	4/8DP 30°PA FLAT ROOT (ASA-B5-1950)..M35 HSS GROUND FORM SEMI-TOPPING..4.000"DIA. x 3.187"LONG x 40MM.BORE INTERN.	1.00
SHC0141	5 DP 14.5°PA 0.4314"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE..CL"B"HA	1.00
SHC0148	5/6DP 20°PA 0.3667"CD (LH) TOPPING..REX76 + TiCN MACHINE RELIEVED HOB..3.250"DIA. x 3.250"LONG x 1.250"BORE	3.00
SHC0150	5 DP 20°PA 0.4341"CD RH FINISHER..M35 HSS MACHINE RELIEVED HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE...CL"D" SVA SWE	1.00
SHC0152	5 DP 20°PA 0.450"CD RH FINISHER..PMM4 HSS GROUND FORM GEAR HOB..7.000"DIA. x 7.000"LONG x 1.250"BORE..PMM4 HSS S	1.00
SHC0155	5/7 DP 20°PA 0.3214"CD RH TOPPING..REX76 + TiCN MACHINE RELIEVED HOB..2.625"DIA. x 3.250"LONG x 1.250"BORE	1.00
SHC0163	5/10 DP 30°PA FLAT ROOT/SIDE FIT..M2 HSS GROUND FORM RELIEVED HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE..CL"B"HARBI	1.00
SHC0190	6 DP 20°PA 0.375"CD RH FINISHER..PMM4 + TiN GROUND FORM GEAR HOB..7.000"DIA. x 7.000"LONG x 1.250"BORE CL'A' STAR/SI	2.00
SHC0195	6/8 DP 20°PA 0.281"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	1.00
SHC0198	6/8 DP 20°PA 0.281"CD (LH) TOPPING..M4 HSS MACHINE RELIEVED GEAR HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	2.00
SHC0200	6/8 DP 20°PA 0.281"CD RH TOPPING..M2 HSS MACHINE RELIEVED GEAR HOB..3.000"DIA. x 4.000"LONG x 1.250"BORE	2.00
SHC0203	6DP 25°PA 0.3595"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE...CL"D" STA	1.00
SHC0211	7DP 25°PA 0.3357"CD RH PG 008"THIN..PM45 HSS +TiN PRE-GRIND GEAR HOB..3.250"DIA. x 3.250"LONG x 1.250"BORE..PM45+Ti	1.00
SHC0216	7/9 DP 20°PA 0.260"CD LH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..3.500"DIA. x 3.500"LONG x 1.500"BORE..CL"B" ITW	1.00
SHC0230	8DP 20°PA 245"CD PRESHAVE .002"THIN..M2 HSS GROUND FORM RELIEVED HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE..M2 CL'	1.00
SHC0244	8 DP 25°PA 0.2696"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE...CL"D" ST/	1.00
SHC0250	8/10DP 20°PA 0.225"CD (LH) TOPPING..PM-M4 HSS MACHINE RELIEVED HOB..2.375"DIA. x 3.000"LONG x 1.250"BORE	2.00
SHC0252	8/10 DP 20°PA 0.225"CD (LH) TOPPING PM76+ AlCrONa MACHINE RELIEVED HOB..2.500"DIA. x 3.000"LONG x 1.250"BORE	1.00
SHC0255	8.5134DP 18°53'PA 0.250"CD LH FIN. .M2 HSS MACHINE RELIEVED GEAR HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE..CL'C' ST	1.00
SHC0260	9 DP 20°PA 0.2397"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE...CL'B' TO(	1.00
SHC0265	9/11 DP 25°PA 0.2045"CD (LH) TOPPING..ASP2052 + TiN MACHINE RELIEVED HOB..2.375"DIA. x 3.000"LONG x 1.250"BORE	1.00
SHC0271	10DP 14.5°PA .2157"CD RH FINISHER..S592 HSS + TiN GROUND FORM HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE...CL"A" STAI	1.00
SHC0272	10DP 14.5°PA 0.2157"CD RH FINISHER..PM45 + TiN GROUND FORM GEAR HOB..3.500"DIA. x 4.000"LONG x 1.250"BORE...CL"A" ST	1.00
SHC0273	10DP 14.5°PA .2157"CD RH FINISHER..M45+TiN GROUND FORM RELIEVED HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE	1.00
SHC0275	10 DP 14.5°PA 0.2157"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
SHC0279	10DP 14.5°PA 0.2157"CD RH FINISHER..M2 + TiN GROUND FORM RELIEVED HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE...CL"A"	1.00
SHC0281	10DP 14.5°PA 0.2157"CD RH FINISHER..PM-M4 + TiN GROUND FORM GEAR HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE...CL"A" :	1.00
SHC0283	10DP 14.5°PA 0.2157"WD RH TOPPING..M2 HSS GROUND FORM RELIEVED HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE...CL"B" I	1.00
SHC0285	10DP 14.5°PA 0.235"CD RH PRESHAVE..M2 HSS MACHINE RELIEVED GEAR HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE...CL"D"	1.00
SHC0286	10DP 14.5°PA 0.235"CD LH PRESHAVE..M2 HSS MACHINE RELIEVED GEAR HOB..3.000"DIA. x 3.000"LONG x 1.250"BORE...CL"D" S	1.00
SHC0292	10 DP 14.5°PA 0.2157"CD LH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..3.000"DIA. x 4.000"LONG x 1.250"BORE...CL"B" E	1.00
SHC0295	10 DP 20°PA 0.240"CD RH PRE-SHAVE..M2 HSS GROUND FORM RELIEVED HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
SHC0296	10 DP 20°PA 0.235"CD LH PRE-SHAVE..M2 HSS GROUND FORM RELIEVED HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE..NATION	1.00
SHC0297	10DP 20°PA 0.235"CD LH PRE-SHAVE..M2 HSS GROUND FORM RELIEVED HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE..C.C.&R	1.00
SHC0300	10/12DP 20°PA 0.1875"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..2.000"DIA. x 2.000"LONG x 0.750"BORE	1.00
SHC0304	10/12DP 20°PA 0.1875"CD RH TOPPING..M2 HSS MACHINE RELIEVED GEAR HOB..2.000"DIA. x 2.000"LONG x 0.750"BORE	1.00
SHC0305	10/12DP 20°PA 0.1875"CD (LH) TOPPING..M2 HSS MACHINE RELIEVED GEAR HOB..2.000"DIA. x 2.000"LONG x 0.750"BORE	2.00
SHC0310	10/12DP 20°PA 0.1875"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..2.175"DIA. x 3.000"LONG x 1.250"BORE	1.00
SHC0311	10/12DP 20°PA 0.1875"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE	1.00
SHC0315	10/20 DP 30°PA FLAT ROOT/SIDE FIT..M2 HSS+TiN GROUND FORM GEAR HOB..2.000"DIA. x 2.000"LONG x 0.750"BORE	1.00
SHC0320	12DP 14.5°PA 0.1798"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE...CL"D" :	1.00
SHC0325	12 DP 20°PA 0.1796"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..2.750"DIA. x 2.750"LONG x 1.250"BORE...CL "D" S	1.00
SHC0331	12/14DP 20°PA 0.1607"WD (LH) FINISHER..M2 HSS MACHINE RELEIVED GEAR HOB..2.000"DIA. x 2.000"LONG x 0.750"BORE	1.00
SHC0335	12/14 DP 20°PA 0.1607"WD RH TOPPING..M35 HSS+TiN GROUND FORM GEAR HOB..1.750"DIA. x 2.000"LONG x 0.750"BORE	1.00
SHC0336	12/14DP 20°PA 0.1607"WD (LH) TOPPING..M2 HSS MACHINE RELEIVED GEAR HOB..1.750"DIA. x 2.000"LONG x 0.750"BORE	2.00
SHC0360	14DP 20°PA 0.1541"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE..CL "D" ST	1.00
SHC0405	16 DP 20°PA 0.1348"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..2.500"DIA. x 2.500"LONG x 1.250"BORE...CL"B" N/	1.00
SHC0412	16 DP 20°PA 0.1459"CD 0.002"THIN..PM-M4 + TiN GROUND FORM GEAR HOB..5.000"DIA. x 5.000"LONG x 1.250"BORE..PMM4+TiN (	1.00
SHC0540	32/64 DP 30°PA FILLET ROOT/SIDE FIT ..M2 HSS GROUND FORM RELIEVED HOB..3.000"DIA. x 1.500"LONG x 1.250"BORE...CL"B" B	1.00
SHC0731	4 MOD. 20°PA 0.3544"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..3.500"DIA. x 3.500"LONG x 1.250"BORE..CL"B" H	1.00
SHC0773	6.5 MOD 20°PA 0.5635"CD (2.202/DP)..PREGRIND NO PROTUBE 0 .014"THIN..4.500"DIA. x 4.500"LONG x 1.250"BORE..CPM42+TiN CL	1.00
SHC0779	7.5MOD. 25°PA 0.6644"CD RH FINISHER ..M2 HSS GROUND FORM RELIEVED HOB..4.250"DIA. x 4.500"LONG x 1.250"BORE..NORR	1.00
SHC0780	7.5 MOD. 25°PA 0.6644"CD RH FINISHER ..M2 HSS MACHINE RELIEVED GEAR HOB..4.500"DIA. x 5.000"LONG x 1.250"BORE..STAF	1.00
SHC0800	9 MOD. 25°PA 0.7972"CD RH FINISHER..M2 HSS MACHINE RELIEVED GEAR HOB..5.000"DIA. x 6.000"LONG x 1.250"BORE..M2 HSS	1.00
SHC0900	20MM. SYNCHROFLEX AT20 RANGE:20+ ..REX54 HSS MACHINE RELIEVED HOB..5.000"DIA. x 5.000"LONG x 1.250"BORE..STAR/SU	1.00

Item	Description	Quantity On Hand
SHC1600	1.0"CP AX 20°PA 0.6866"WD 3 STARTS ..L.H. TOPPING 3.750"WORM PITCH DIA...M4 HSS+TIN GROUND FORM WORM HOB..4.687"	1.00
SHC1630	1.25"CP AX 14.5°PA 0.8853"WD TOPPING..1 START RIGHT HAND 3.500"WORM PD..M2 HSS MACHINE RELIEVED GEAR HOB..4.770"DI	1.00
SHC1632	1.25"CP AX 14.5°PA 0.8582"WD TOPPING..1 START RIGHT HAND 3.500"WORM PD..4.587"DIA x 6.000"LONG x 1.250"BORE..M2 HSS	1.00
SHC1635	1.25"CP AX 14.5°PA 0.8582"WD LEFT HAND TOPPING 3.892"WORM PD ..PM-M4 MACHINE RELIEVED GEAR HOB..5.157"DIA. x 8.00	1.00
SHC1637	1.25"CP AX. 14.5°PA 0.8583"CD RH TOPPING 4.000"WORM PD..M2 HSS+TIN GROUND FORM GEAR HOB ..5.000"DIA. x 7.000"LONG	1.00
SHC1638	1.25"CP 20°PA 0.8582"CD RH FINISHER..M2 HSS GROUND FORM RELIEVED HOB..5.250"DIA. x 7.000"LONG x 1.250"BORE..CL"B"NI	2.00
SHC1643	1.25"CP AX 25°PA 0.8583"WD 3 START..3.500"WORM PD LEFT HAND TOPPING ..M2 HSS CLASS"B" WORM GEAR HOB..4.511"DIA. x	1.00
SHC1645	1.25"CP AX 25°PA 0.8583"WD 3 START..3.500"WORM PD RIGHT HAND TOPPING ..PMM4 +TIN CLASS"C" WORM GEAR HOB..4.597"DI	1.00
SHC1650	1.5"CP 14.5°PA 1.0299"CD LH FINISHER..M35 HSS GROUND FORM RELIEVED HOB..6.250"DIA. x 7.500"LONG x 1.500"BORE..CL"B	2.00
SHC1658	1.5"CP AX 14.5°PA 1.030"WD TOPPING..1 START RIGHT HAND 4.750"WORM PD..M2 HSS MACHINE RELIEVED GEAR HOB..6.100"DI	1.00
SHC1660	1.5"CP AX 14.5°PA 1.030"WD TOPPING..1 START RIGHT HAND 5.280"WORM PD..M4 HSS + TIN MACHINE RELIEVED HOB..6.495"DIA	1.00
SHC1662	1.5"CP AX 14.5°PA 1.030"WD TOPPING..ASP23 HSS MACHINE RELIEVED HOB..1 START LEFT HAND 4.750"WORM PD..6.100"DIA. x	1.00
SHC1670	1.750"CP 14.5°PA 1.2015"CD RH FINISHER..M2 HSS GROUND FORM GEAR HOB..6.000"DIA. x 6.000"LONG x 1.500"BORE..M2 HSS CL	1.00
SHC2000	2.000"CP 1.125"ROLLER ASA #160 CHAIN..M2 HSS MACHINE RELIEVED CHAIN HOB..6.000"DIA. x 6.000"LONG x 1.500"BORE..STAR/S	1.00
SMA0004	1 DP 20°PA BACKING PLATE Z3	3.00
SS00000	USED & SUPLUS SHAPER CUTTERS	1.00
SS00005	1.5/2DP 20°PA 1.125"CD 6"PD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..9 TEETH x 1.625"WIDE x 3.000"BORE	1.00
SS00010	1.75 DP 20°PA 1.028"CD STUB FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..11 TEETH x 1.625"WIDE x 3.000"BORE	1.00
SS00056	6/8DP 20°PA 0.2868"CD 5"PD FINISHER..PMM3 HSS+TIN DISC SHAPER CUTTER..30 TEETH x 2.065"WIDE x 1.750"BORE	1.00
SS00057	6/12DP 30°PA FLAT ROOT/SIDE FIT 5"PD..M2 HSS DEEP C/BORE SHAPER CUTTER..30 TEETH x 1.850"WIDE x 1.750"BORE.	1.00
SS00059	6/12 DP 30°PA FILLET ROOT 4.000"PD ..M2 HSS DISC TYPE SHAPER CUTTER..24 TEETH x 1.250"WIDE x 1.250"BORE	1.00
SS00061	7DP(TRANS) 20°PA(TRANS) 30°HA RH..0.271"CD 32.6484"LEAD OF GUIDES..M2 HSS DISC TYPE SHAPER CUTTER..42 TEETH x 1.2	1.00
SS00062	7DP(TRANS) 20°PA(TRANS) 30°HA LH..0.271"CD 32.6484"LEAD OF GUIDES..M2 HSS DISC TYPE SHAPER CUTTER..42 TEETH x 1.2	1.00
SS00063	8DP 14.5°PA 0.395"CD F/FILLET 4"PD ..M2 HSS + TIN DISC SHAPER CUTTER..32 TEETH x 1.336"WIDE x 1.750"BORE	1.00
SS00075	8 DP 25°PA 0.178"CD STUB FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..23 TEETH x 0.895"WIDE x 1.250"BORE	1.00
SS00085	8/10DP 20°PA 0.225"CD FILLET ROOT..M2 HSS DISC TYPE SHAPER CUTTER..24 TEETH x 0.875"WIDE x 1.250"BORE	2.00
SS00090	8/10 DP 20°PA 0.225"WD TOPPING..M2 HSS DISC TYPE SHAPER CUTTER..32 TEETH x 0.875"WIDE x 1.250"BORE	1.00
SS00100	8/10DP 20°PA 0.225"WD FULL FILLET..M2 HSS DISC TYPE SHAPER CUTTER..32 TEETH x 1.000"WIDE x 1.750"BORE	2.00
SS00105	8/10DP 20°PA 0.225"WD TOPPING..M2 HSS DISC TYPE SHAPER CUTTER..32 TEETH x 0.895"WIDE x 1.750"BORE	1.00
SS00170	12/14 DP 14.5°PA 0.1607"CD 4"PCD..M2 HSS DISC TYPE SHAPER CUTTER..48 TEETH x 0.620"WIDE x 1.750"BORE ..	2.00
SS00177	20/40 DP 30°PA FLAT ROOT/SIDE FIT ..M2 HSS SHANK TYPE SHAPER CUTTER..20 TEETH ON #1 MORSE TAPER SHANK..2.000"OVE	1.00
SS00183	32/64 DP 30°PA FILLET ROOT/SIDE FIT ..M2 HSS SHANK TYPE SHAPER CUTTER..32 TEETH ON #1 MORSE TAPER SHANK..2.500"OV	1.00
SS00196	64 DP 20°PA 0.0364"CD 1"PD FINISHER..M2 HSS SHANK TYPE SHAPER CUTTER..64 TEETH ON #1 MORSE TAPER SHANK..1.875"OV	3.00
SS00198	80DP 20°PA 0.0295"CD 1"PD FINISHER..M2 HSS SHANK TYPE SHAPER CUTTER..80 TEETH ON #1 MORSE TAPER SHANK..1.975"OVE	1.00
SS00203	96 DP 20°PA 0.0247"CD FINISHER..M2 HSS SHANK TYPE SHAPER CUTTER..60 TEETH ON #1 MORSE TAPER SHANK..1.915"OVERA	1.00
SS00205	96 DP 20°PA 0.0243"CD 1"PD FINISHER..M2 HSS SHANK TYPE SHAPER CUTTER..96 TEETH ON #1 MORSE TAPER SHANK..1.975"OV	2.00
SS00210	1.125"CP 14.5°PA .8057"CD FINISHER..M2 HSS DISC TYPE SHAPER CUTTER..13 TEETH x 1.350"WIDE x 2.3125"BORE	1.00
SS00336	10 MOD. 20°PA 0.7086"WD TOPPING..ASP2023 HSS DISC SHAPER CUTTER..10 TEETH x 1.220"WIDE x 1.250"BORE	1.00
SSC0060	5/10 DP 30°PA FILLET ROOT 6.000"PD..PMM3 HSS DISC TYPE SHAPER CUTTER..30 TEETH x 1.452"WIDE x 1.750"BORE	1.00
SSC0090	6/8DP 20°PA 0.2868"CD FINISHER 5"PD PM-M3 HSS EBB DISC SHAPER CUTTER..30 TEETH x 2.000"WIDE x 1.750"BORE	2.00
SSC0120	10 DP 25°PA 0.225"WD 2.200"PCD..M2 HSS DISC TYPE SHAPER CUTTER..22 TEETH x 0.482"WIDE x 1.00"BORE	1.00
SSC0235	8DP 25°PA 0.287"CD S-TOPP 4"PCD..M2 HSS DISC TYPE SHAPER CUTTER..32 TEETH x 1.500"WIDE x 1.250"BORE..INTERSTARE	6.00
SSC0250	8/16DP 30°PA 0.1355"CD FLAT ROOT..M3 HSS EBB DISC SHAPER CUTTER..32 TEETH x 2.250"WIDE x 1.250"BORE..BARBER COL	13.00
SSC0252	8/16DP 30°PA 0.1355"CD FLAT ROOT..M3 HSS EBB DISC SHAPER CUTTER..32 TEETH x 2.250"WIDE x 1.250"BORE..BARBER COL	3.00
SSC0254	8/16DP 30°PA 0.1355"CD FLAT ROOT..M3 HSS EBB DISC SHAPER CUTTER..32 TEETH x 2.250"WIDE x 1.250"BORE..BARBER COL	2.00
SSC0256	8/16DP 30°PA 0.1243"CD FLAT ROOT..M3 HSS EBB DISC SHAPER CUTTER..40 TEETH x 2.295"WIDE x 1.750"BORE..FELLOWS US	1.00
SSC0275	10/20DP 30°PA FLAT ROOT/MAJ.DIA. FIT..PMM3 HSS DISC TYPE SHAPER CUTTER..56 TEETH x 1.081"WIDE x 1.750"BORE.	1.00